

19. XNX Universal Transmitter with MPD Sensor



XNX Universal transmitter including MPD sensor and sensor cartridge.
Each gas detector (transmitter and MPD sensor) is supplied with blanking plugs, magnetic wand/screwdriver tool, hex keys, electrical jumpers, printed quick start guide and CD-ROM. Please order any optional accessories separately.



19.1 Instrument

XNX Stainless Steel Gas Detector ATEX/IECEX/INMETRO with MPD Catalytic Sensor 0-100%LEL

Part Number	Description	GBP	PG
XNX-AMSV-NNCB1	XNX Gas Detector, HART® over 4-20mA output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted 316SS, includes MPD catalytic sensor 0-100%LEL	£ 1,098.00	UB
XNX-AMSV-NHCB1	XNX Gas Detector, HART® over 4-20mA output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted 316SS, includes MPD catalytic sensor 0-100%LEL	£ 1,159.00	UB
XNX-AMSV-RNCB1	XNX Gas Detector, HART® over 4-20mA output and 3 fault/alarm relays, ATEX/IECEX/INMETRO, 4 x M25 entries, painted 316SS, includes MPD catalytic sensor 0-100%LEL	£ 1,159.00	UB
XNX-AMSV-RHCB1	XNX Gas Detector, HART® over 4-20mA output, 3 fault/alarm relays and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted 316SS, includes MPD catalytic sensor 0-100%LEL	£ 1,220.00	UB
XNX-AMSV-MNCB1	XNX Gas Detector, HART® over 4-20mA and Modbus output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted 316SS, includes MPD catalytic sensor 0-100%LEL	£ 1,190.00	UB
XNX-AMSV-MHCB1	XNX Gas Detector, HART® over 4-20mA and Modbus output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted 316SS, includes MPD catalytic sensor 0-100%LEL	£ 1,251.00	UB
XNX-AMSV-FNCB1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted 316SS, includes MPD catalytic sensor 0-100%LEL	£ 1,220.00	UB
XNX-AMSV-FHCB1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted 316SS, includes MPD catalytic sensor 0-100%LEL	£ 1,281.00	UB

XNX Aluminum Transmitter ATEX/IECEX/INMETRO with MPD Catalytic Sensor 0-100%LEL

Part Number	Description	GBP	PG
XNX-AMAV-NNCB1	XNX Gas Detector, HART® over 4-20mA output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted Aluminium, includes MPD catalytic sensor 0-100%LEL	£ 895.00	UB
XNX-AMAV-NHCB1	XNX Gas Detector, HART® over 4-20mA output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted Aluminium, includes MPD catalytic sensor 0-100%LEL	£ 958.00	UB
XNX-AMAV-RNCB1	XNX Gas Detector, HART® over 4-20mA output and 3 fault/alarm relays, ATEX/IECEX/INMETRO, 4 x M25 entries, painted Aluminium, includes MPD catalytic sensor 0-100%LEL	£ 958.00	UB
XNX-AMAV-RHCB1	XNX Gas Detector, HART® over 4-20mA output, 3 fault/alarm relays and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted Aluminium, includes MPD catalytic sensor 0-100%LEL	£ 1,022.00	UB
XNX-AMAV-MNCB1	XNX Gas Detector, HART® over 4-20mA and Modbus output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted Aluminium, includes MPD catalytic sensor 0-100%LEL	£ 990.00	UB
XNX-AMAV-MHCB1	XNX Gas Detector, HART® over 4-20mA and Modbus output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted Aluminium, includes MPD catalytic sensor 0-100%LEL	£ 1,056.00	UB
XNX-AMAV-FNCB1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted Aluminium, includes MPD catalytic sensor 0-100%LEL	£ 1,022.00	UB
XNX-AMAV-FHCB1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted Aluminium, includes MPD catalytic sensor 0-100%LEL	£ 1,087.00	UB

19. XNX Universal Transmitter with MPD Sensor



XNX Stainless Steel Transmitter ATEX/IECEX/INMETRO with MPD Infrared Hydrocarbon (Propane) Sensor 0-100%LEL

Part Number	Description	GBP	PG
XNX-AMSV-NNIF1	XNX Gas Detector, HART® over 4-20mA output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,342.00	UB
XNX-AMSV-NHIF1	XNX Gas Detector, HART® over 4-20mA output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,403.00	UB
XNX-AMSV-RNIF1	XNX Gas Detector, HART® over 4-20mA output and 3 fault/alarm relays, ATEX/IECEX/INMETRO, 4 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,403.00	UB
XNX-AMSV-RHIF1	XNX Gas Detector, HART® over 4-20mA output, 3 fault/alarm relays and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,464.00	UB
XNX-AMSV-MNIF1	XNX Gas Detector, HART® over 4-20mA and Modbus output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,434.00	UB
XNX-AMSV-MHIF1	XNX Gas Detector, HART® over 4-20mA and Modbus output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,495.00	UB
XNX-AMSV-FNIF1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,464.00	UB
XNX-AMSV-FHIF1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,525.00	UB

XNX Aluminium Transmitter ATEX/IECEX/INMETRO with MPD Infrared Hydrocarbon (Propane) Sensor 0-100%LEL

Part Number	Description	GBP	PG
XNX-AMAV-NNIF1	XNX Gas Detector, HART® over 4-20mA output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,151.00	UB
XNX-AMAV-NHIF1	XNX Gas Detector, HART® over 4-20mA output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,214.00	UB
XNX-AMAV-RNIF1	XNX Gas Detector, HART® over 4-20mA output and 3 fault/alarm relays, ATEX/IECEX/INMETRO, 4 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,214.00	UB
XNX-AMAV-RHIF1	XNX Gas Detector, HART® over 4-20mA output, 3 fault/alarm relays and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,279.00	UB
XNX-AMAV-MNIF1	XNX Gas Detector, HART® over 4-20mA and Modbus output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,247.00	UB
XNX-AMAV-MHIF1	XNX Gas Detector, HART® over 4-20mA and Modbus output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,310.00	UB
XNX-AMAV-FNIF1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,279.00	UB
XNX-AMAV-FHIF1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,342.00	UB

19. XNX Universal Transmitter with MPD Sensor



XNX Stainless Steel Transmitter ATEX/IECEX/INMETRO with MPD Infrared Methane Sensor 0-100%LEL (0-5%v/v).

Part Number	Description	GBP	PG
XNX-AMSV-NNIV1	XNX Gas Detector, HART® over 4-20mA output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,342.00	UB
XNX-AMSV-NHIV1	XNX Gas Detector, HART® over 4-20mA output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,403.00	UB
XNX-AMSV-RNIV1	XNX Gas Detector, HART® over 4-20mA output and 3 fault/alarm relays, ATEX/IECEX/INMETRO, 4 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,403.00	UB
XNX-AMSV-RHIV1	XNX Gas Detector, HART® over 4-20mA output, 3 fault/alarm relays and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,464.00	UB
XNX-AMSV-MNIV1	XNX Gas Detector, HART® over 4-20mA and Modbus output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,434.00	UB
XNX-AMSV-MHIV1	XNX Gas Detector, HART® over 4-20mA and Modbus output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,495.00	UB
XNX-AMSV-FNIV1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,464.00	UB
XNX-AMSV-FHIV1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,525.00	UB

XNX Aluminium Transmitter ATEX/IECEX/INMETRO with MPD Infrared Methane Sensor 0-100%LEL (0-5%v/v).

Part Number	Description	GBP	PG
XNX-AMAV-NNIV1	XNX Gas Detector, HART® over 4-20mA output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,151.00	UB
XNX-AMAV-NHIV1	XNX Gas Detector, HART® over 4-20mA output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,214.00	UB
XNX-AMAV-RNIV1	XNX Gas Detector, HART® over 4-20mA output and 3 fault/alarm relays, ATEX/IECEX/INMETRO, 4 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,214.00	UB
XNX-AMAV-RHIV1	XNX Gas Detector, HART® over 4-20mA output, 3 fault/alarm relays and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,279.00	UB
XNX-AMAV-MNIV1	XNX Gas Detector, HART® over 4-20mA and Modbus output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,247.00	UB
XNX-AMAV-MHIV1	XNX Gas Detector, HART® over 4-20mA and Modbus output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,310.00	UB
XNX-AMAV-FNIV1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,279.00	UB
XNX-AMAV-FHIV1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,342.00	UB

19. XNX Universal Transmitter with MPD Sensor



XNX Stainless Steel Transmitter ATEX/IECEX/INMETRO with MPD Infrared CO2 Sensor 0-5%V/V.

Part Number	Description	GBP	PG
XNX-AMSV-NNIC1	XNX Gas Detector, HART® over 4-20mA output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted 316SS, includes MPD IR CO2 sensor 0-5%v/v	£ 1,342.00	UB
XNX-AMSV-NHIC1	XNX Gas Detector, HART® over 4-20mA output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted 316SS, includes MPD IR CO2 sensor 0-5%v/v	£ 1,403.00	UB
XNX-AMSV-RNIC1	XNX Gas Detector, HART® over 4-20mA output and 3 fault/alarm relays, ATEX/IECEX/INMETRO, 4 x M25 entries, painted 316SS, includes MPD IR CO2 sensor 0-5%v/v	£ 1,403.00	UB
XNX-AMSV-RHIC1	XNX Gas Detector, HART® over 4-20mA output, 3 fault/alarm relays and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted 316SS, includes MPD IR CO2 sensor 0-5%v/v	£ 1,464.00	UB
XNX-AMSV-MNIC1	XNX Gas Detector, HART® over 4-20mA and Modbus output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted 316SS, includes MPD IR CO2 sensor 0-5%v/v	£ 1,434.00	UB
XNX-AMSV-MHIC1	XNX Gas Detector, HART® over 4-20mA and Modbus output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted 316SS, includes MPD IR CO2 sensor 0-5%v/v	£ 1,495.00	UB
XNX-AMSV-FNIC1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted 316SS, includes MPD IR CO2 sensor 0-5%v/v	£ 1,464.00	UB
XNX-AMSV-FHIC1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted 316SS, includes MPD IR CO2 sensor 0-5%v/v	£ 1,525.00	UB

XNX Aluminium Transmitter ATEX/IECEX/INMETRO with MPD Infrared CO2 Sensor 0-5%V/V.

Part Number	Description	GBP	PG
XNX-AMAV-NNIC1	XNX Gas Detector, HART® over 4-20mA output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted Aluminium, includes MPD IR CO2 sensor 0-5%v/v	£ 1,151.00	UB
XNX-AMAV-NHIC1	XNX Gas Detector, HART® over 4-20mA output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted Aluminium, includes MPD IR CO2 sensor 0-5%v/v	£ 1,214.00	UB
XNX-AMAV-RNIC1	XNX Gas Detector, HART® over 4-20mA output and 3 fault/alarm relays, ATEX/IECEX/INMETRO, 4 x M25 entries, painted Aluminium, includes MPD IR CO2 sensor 0-5%v/v	£ 1,214.00	UB
XNX-AMAV-RHIC1	XNX Gas Detector, HART® over 4-20mA output, 3 fault/alarm relays and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted Aluminium, includes MPD IR CO2 sensor 0-5%v/v	£ 1,279.00	UB
XNX-AMAV-MNIC1	XNX Gas Detector, HART® over 4-20mA and Modbus output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted Aluminium, includes MPD IR CO2 sensor 0-5%v/v	£ 1,247.00	UB
XNX-AMAV-MHIC1	XNX Gas Detector, HART® over 4-20mA and Modbus output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted Aluminium, includes MPD IR CO2 sensor 0-5%v/v	£ 1,310.00	UB
XNX-AMAV-FNIC1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted Aluminium, includes MPD IR CO2 sensor 0-5%v/v	£ 1,279.00	UB
XNX-AMAV-FHIC1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted Aluminium, includes MPD IR CO2 sensor 0-5%v/v	£ 1,342.00	UB

19. XNX Universal Transmitter with MPD Sensor



XNX Stainless Steel Transmitter UL/CSA with MPD Catalytic Sensor 0-100%LEL

Part Number	Description	GBP	PG
XNX-UTSV-NNCB1	XNX Gas Detector, HART® over 4-20mA output, UL/CSA, 4 x 3/4"NPT entries, painted 316SS, includes MPD catalytic sensor 0-100%LEL	£ 1,098.00	UB
XNX-UTSV-NHCB1	XNX Gas Detector, HART® over 4-20mA output and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted 316SS, includes MPD catalytic sensor 0-100%LEL	£ 1,159.00	UB
XNX-UTSV-RNCB1	XNX Gas Detector, HART® over 4-20mA output and 3 fault/alarm relays, UL/CSA, 4 x 3/4"NPT entries, painted 316SS, includes MPD catalytic sensor 0-100%LEL	£ 1,159.00	UB
XNX-UTSV-RHCB1	XNX Gas Detector, HART® over 4-20mA output, 3 fault/alarm relays and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted 316SS, includes MPD catalytic sensor 0-100%LEL	£ 1,220.00	UB
XNX-UTSV-MNCB1	XNX Gas Detector, HART® over 4-20mA and Modbus output, UL/CSA, 4 x 3/4"NPT entries, painted 316SS, includes MPD catalytic sensor 0-100%LEL	£ 1,190.00	UB
XNX-UTSV-MHCB1	XNX Gas Detector, HART® over 4-20mA and Modbus output and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted 316SS, includes MPD catalytic sensor 0-100%LEL	£ 1,251.00	UB
XNX-UTSV-FNCB1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output, UL/CSA, 4 x 3/4"NPT entries, painted 316SS, includes MPD catalytic sensor 0-100%LEL	£ 1,220.00	UB
XNX-UTSV-FHCB1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted 316SS, includes MPD catalytic sensor 0-100%LEL	£ 1,281.00	UB

XNX Aluminum Transmitter UL/CSA with MPD Catalytic Sensor 0-100%LEL

Part Number	Description	GBP	PG
XNX-UTAV-NNCB1	XNX Gas Detector, HART® over 4-20mA output, UL/CSA, 4 x 3/4"NPT entries, painted Aluminium, includes MPD catalytic sensor 0-100%LEL	£ 895.00	UB
XNX-UTAV-NHCB1	XNX Gas Detector, HART® over 4-20mA output and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted Aluminium, includes MPD catalytic sensor 0-100%LEL	£ 958.00	UB
XNX-UTAV-RNCB1	XNX Gas Detector, HART® over 4-20mA output and 3 fault/alarm relays, UL/CSA, 4 x 3/4"NPT entries, painted Aluminium, includes MPD catalytic sensor 0-100%LEL	£ 958.00	UB
XNX-UTAV-RHCB1	XNX Gas Detector, HART® over 4-20mA output, 3 fault/alarm relays and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted Aluminium, includes MPD catalytic sensor 0-100%LEL	£ 1,022.00	UB
XNX-UTAV-MNCB1	XNX Gas Detector, HART® over 4-20mA and Modbus output, UL/CSA, 4 x 3/4"NPT entries, painted Aluminium, includes MPD catalytic sensor 0-100%LEL	£ 990.00	UB
XNX-UTAV-MHCB1	XNX Gas Detector, HART® over 4-20mA and Modbus output and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted Aluminium, includes MPD catalytic sensor 0-100%LEL	£ 1,056.00	UB
XNX-UTAV-FNCB1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output, UL/CSA, 4 x 3/4"NPT entries, painted Aluminium, includes MPD catalytic sensor 0-100%LEL	£ 1,022.00	UB
XNX-UTAV-FHCB1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted Aluminium, includes MPD catalytic sensor 0-100%LEL	£ 1,087.00	UB

19. XNX Universal Transmitter with MPD Sensor



XNX Stainless Steel Transmitter UL/CSA with MPD Infrared Hydrocarbon (Propane) Sensor 0-100%LEL

Part Number	Description	GBP	PG
XNX-UTSV-NNIF1	XNX Gas Detector, HART® over 4-20mA output, UL/CSA, 4 x 3/4" NPT entries, painted 316SS, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,342.00	UB
XNX-UTSV-NHIF1	XNX Gas Detector, HART® over 4-20mA output and local HART® interface port, UL/CSA, 3 x 3/4" NPT entries, painted 316SS, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,403.00	UB
XNX-UTSV-RNIF1	XNX Gas Detector, HART® over 4-20mA output and 3 fault/alarm relays, UL/CSA, 4 x 3/4" NPT entries, painted 316SS, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,403.00	UB
XNX-UTSV-RHIF1	XNX Gas Detector, HART® over 4-20mA output, 3 fault/alarm relays and local HART® interface port, UL/CSA, 3 x 3/4" NPT entries, painted 316SS, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,464.00	UB
XNX-UTSV-MNIF1	XNX Gas Detector, HART® over 4-20mA and Modbus output, UL/CSA, 4 x 3/4" NPT entries, painted 316SS, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,434.00	UB
XNX-UTSV-MHIF1	XNX Gas Detector, HART® over 4-20mA and Modbus output and local HART® interface port, UL/CSA, 3 x 3/4" NPT entries, painted 316SS, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,495.00	UB
XNX-UTSV-FNIF1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output, UL/CSA, 4 x 3/4" NPT entries, painted 316SS, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,464.00	UB
XNX-UTSV-FHIF1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, UL/CSA, 3 x 3/4" NPT entries, painted 316SS, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,525.00	UB

XNX Aluminium Transmitter UL/CSA with MPD Infrared Hydrocarbon (Propane) Sensor 0-100%LEL

Part Number	Description	GBP	PG
XNX-UTAV-NNIF1	XNX Gas Detector, HART® over 4-20mA output, UL/CSA, 4 x 3/4" NPT entries, painted Aluminium, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,151.00	UB
XNX-UTAV-NHIF1	XNX Gas Detector, HART® over 4-20mA output and local HART® interface port, UL/CSA, 3 x 3/4" NPT entries, painted Aluminium, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,214.00	UB
XNX-UTAV-RNIF1	XNX Gas Detector, HART® over 4-20mA output and 3 fault/alarm relays, UL/CSA, 4 x 3/4" NPT entries, painted Aluminium, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,214.00	UB
XNX-UTAV-RHIF1	XNX Gas Detector, HART® over 4-20mA output, 3 fault/alarm relays and local HART® interface port, UL/CSA, 3 x 3/4" NPT entries, painted Aluminium, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,279.00	UB
XNX-UTAV-MNIF1	XNX Gas Detector, HART® over 4-20mA and Modbus output, UL/CSA, 4 x 3/4" NPT entries, painted Aluminium, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,247.00	UB
XNX-UTAV-MHIF1	XNX Gas Detector, HART® over 4-20mA and Modbus output and local HART® interface port, UL/CSA, 3 x 3/4" NPT entries, painted Aluminium, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,310.00	UB
XNX-UTAV-FNIF1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output, UL/CSA, 4 x 3/4" NPT entries, painted Aluminium, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,279.00	UB
XNX-UTAV-FHIF1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, UL/CSA, 3 x 3/4" NPT entries, painted Aluminium, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,342.00	UB

19. XNX Universal Transmitter with MPD Sensor



XNX Stainless Steel Transmitter UL/CSA with MPD Infrared Methane Sensor 0-100%LEL (0-5%v/v).

Part Number	Description	GBP	PG
XNX-UTSV-NNIV1	XNX Gas Detector, HART® over 4-20mA output, UL/CSA, 4 x 3/4"NPT entries, painted 316SS, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,342.00	UB
XNX-UTSV-NHIV1	XNX Gas Detector, HART® over 4-20mA output and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted 316SS, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,403.00	UB
XNX-UTSV-RNIV1	XNX Gas Detector, HART® over 4-20mA output and 3 fault/alarm relays, UL/CSA, 4 x 3/4"NPT entries, painted 316SS, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,403.00	UB
XNX-UTSV-RHIV1	XNX Gas Detector, HART® over 4-20mA output, 3 fault/alarm relays and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted 316SS, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,464.00	UB
XNX-UTSV-MNIV1	XNX Gas Detector, HART® over 4-20mA and Modbus output, UL/CSA, 4 x 3/4"NPT entries, painted 316SS, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,434.00	UB
XNX-UTSV-MHIV1	XNX Gas Detector, HART® over 4-20mA and Modbus output and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted 316SS, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,495.00	UB
XNX-UTSV-FNIV1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output, UL/CSA, 4 x 3/4"NPT entries, painted 316SS, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,464.00	UB
XNX-UTSV-FHIV1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted 316SS, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,525.00	UB

XNX Aluminium Transmitter UL/CSA with MPD Infrared Methane Sensor 0-100%LEL (0-5%v/v).

Part Number	Description	GBP	PG
XNX-UTAV-NNIV1	XNX Gas Detector, HART® over 4-20mA output, UL/CSA, 4 x 3/4"NPT entries, painted Aluminium, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,151.00	UB
XNX-UTAV-NHIV1	XNX Gas Detector, HART® over 4-20mA output and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted Aluminium, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,214.00	UB
XNX-UTAV-RNIV1	XNX Gas Detector, HART® over 4-20mA output and 3 fault/alarm relays, UL/CSA, 4 x 3/4"NPT entries, painted Aluminium, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,214.00	UB
XNX-UTAV-RHIV1	XNX Gas Detector, HART® over 4-20mA output, 3 fault/alarm relays and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted Aluminium, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,279.00	UB
XNX-UTAV-MNIV1	XNX Gas Detector, HART® over 4-20mA and Modbus output, UL/CSA, 4 x 3/4"NPT entries, painted Aluminium, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,247.00	UB
XNX-UTAV-MHIV1	XNX Gas Detector, HART® over 4-20mA and Modbus output and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted Aluminium, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,310.00	UB
XNX-UTAV-FNIV1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output, UL/CSA, 4 x 3/4"NPT entries, painted Aluminium, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,279.00	UB
XNX-UTAV-FHIV1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted Aluminium, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,342.00	UB

19. XNX Universal Transmitter with MPD Sensor



XNX Stainless Steel Transmitter UL/CSA with MPD Infrared CO2 Sensor 0-5%V/V.

Part Number	Description	GBP	PG
XNX-UTSV-NNIC1	XNX Gas Detector, HART® over 4-20mA output, UL/CSA, 4 x 3/4"NPT entries, painted 316SS, includes MPD IR CO2 sensor 0-5%v/v	£ 1,342.00	UB
XNX-UTSV-NHIC1	XNX Gas Detector, HART® over 4-20mA output and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted 316SS, includes MPD IR CO2 sensor 0-5%v/v	£ 1,403.00	UB
XNX-UTSV-RNIC1	XNX Gas Detector, HART® over 4-20mA output and 3 fault/alarm relays, UL/CSA, 4 x 3/4"NPT entries, painted 316SS, includes MPD IR CO2 sensor 0-5%v/v	£ 1,403.00	UB
XNX-UTSV-RHIC1	XNX Gas Detector, HART® over 4-20mA output, 3 fault/alarm relays and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted 316SS, includes MPD IR CO2 sensor 0-5%v/v	£ 1,464.00	UB
XNX-UTSV-MNIC1	XNX Gas Detector, HART® over 4-20mA and Modbus output, UL/CSA, 4 x 3/4"NPT entries, painted 316SS, includes MPD IR CO2 sensor 0-5%v/v	£ 1,434.00	UB
XNX-UTSV-MHIC1	XNX Gas Detector, HART® over 4-20mA and Modbus output and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted 316SS, includes MPD IR CO2 sensor 0-5%v/v	£ 1,495.00	UB
XNX-UTSV-FNIC1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output, UL/CSA, 4 x 3/4"NPT entries, painted 316SS, includes MPD IR CO2 sensor 0-5%v/v	£ 1,464.00	UB
XNX-UTSV-FHIC1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted 316SS, includes MPD IR CO2 sensor 0-5%v/v	£ 1,525.00	UB

XNX Aluminium Transmitter UL/CSA with MPD Infrared CO2 Sensor 0-5%V/V.

Part Number	Description	GBP	PG
XNX-UTAV-NNIC1	XNX Gas Detector, HART® over 4-20mA output, UL/CSA, 4 x 3/4"NPT entries, painted Aluminium, includes MPD IR CO2 sensor 0-5%v/v	£ 1,151.00	UB
XNX-UTAV-NHIC1	XNX Gas Detector, HART® over 4-20mA output and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted Aluminium, includes MPD IR CO2 sensor 0-5%v/v	£ 1,214.00	UB
XNX-UTAV-RNIC1	XNX Gas Detector, HART® over 4-20mA output and 3 fault/alarm relays, UL/CSA, 4 x 3/4"NPT entries, painted Aluminium, includes MPD IR CO2 sensor 0-5%v/v	£ 1,214.00	UB
XNX-UTAV-RHIC1	XNX Gas Detector, HART® over 4-20mA output, 3 fault/alarm relays and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted Aluminium, includes MPD IR CO2 sensor 0-5%v/v	£ 1,279.00	UB
XNX-UTAV-MNIC1	XNX Gas Detector, HART® over 4-20mA and Modbus output, UL/CSA, 4 x 3/4"NPT entries, painted Aluminium, includes MPD IR CO2 sensor 0-5%v/v	£ 1,247.00	UB
XNX-UTAV-MHIC1	XNX Gas Detector, HART® over 4-20mA and Modbus output and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted Aluminium, includes MPD IR CO2 sensor 0-5%v/v	£ 1,310.00	UB
XNX-UTAV-FNIC1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output, UL/CSA, 4 x 3/4"NPT entries, painted Aluminium, includes MPD IR CO2 sensor 0-5%v/v	£ 1,279.00	UB
XNX-UTAV-FHIC1	XNX Gas Detector, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted Aluminium, includes MPD IR CO2 sensor 0-5%v/v	£ 1,342.00	UB

XNX Stainless Steel Gas Detector CU-TR with MPD Catalytic Sensor 0-100%LEL

Part Number	Description	GBP	PG
XNX-RMSV-NNCB1	XNX Gas Detector, HART® over 4-20mA output, CU-TR, 4 x M25 entries, painted 316SS, includes MPD catalytic sensor 0-100%LEL	£ 1,098.00	UB
XNX-RMSV-NHCB1	XNX Gas Detector, HART® over 4-20mA output and local HART® interface port, CU-TR, 3 x M25 entries, painted 316SS, includes MPD catalytic sensor 0-100%LEL	£ 1,159.00	UB
XNX-RMSV-RNCB1	XNX Gas Detector, HART® over 4-20mA output and 3 fault/alarm relays, Cu-TR, 4 x M25 entries, painted 316SS, includes MPD catalytic sensor 0-100%LEL	£ 1,159.00	UB
XNX-RMSV-RHCB1	XNX Gas Detector, HART® over 4-20mA output, 3 fault/alarm relays and local HART® interface port, CU-TR, 3 x M25 entries, painted 316SS, includes MPD catalytic sensor 0-100%LEL	£ 1,220.00	UB
XNX-RMSV-MNCB1	XNX Gas Detector, HART® over 4-20mA and Modbus output, CU-TR, 4 x M25 entries, painted 316SS, includes MPD catalytic sensor 0-100%LEL	£ 1,190.00	UB
XNX-RMSV-MHCB1	XNX Gas Detector, HART® over 4-20mA and Modbus output and local HART® interface port, CU-TR, 3 x M25 entries, painted 316SS, includes MPD catalytic sensor 0-100%LEL	£ 1,251.00	UB

19. XNX Universal Transmitter with MPD Sensor



XNX Aluminum Transmitter CU-TR with MPD Catalytic Sensor 0-100%LEL

Part Number	Description	GBP	PG
XNX-RMAV-NNCB1	XNX Gas Detector, HART® over 4-20mA output, CU-TR, 4 x M25 entries, painted Aluminium, includes MPD catalytic sensor 0-100%LEL	£ 895.00	UB
XNX-RMAV-NHCB1	XNX Gas Detector, HART® over 4-20mA output and local HART® interface port, CU-TR, 3 x M25 entries, painted Aluminium, includes MPD catalytic sensor 0-100%LEL	£ 958.00	UB
XNX-RMAV-RNCB1	XNX Gas Detector, HART® over 4-20mA output and 3 fault/alarm relays, CU-TR, 4 x M25 entries, painted Aluminium, includes MPD catalytic sensor 0-100%LEL	£ 958.00	UB
XNX-RMAV-RHCB1	XNX Gas Detector, HART® over 4-20mA output, 3 fault/alarm relays and local HART® interface port, CU-TR, 3 x M25 entries, painted Aluminium, includes MPD catalytic sensor 0-100%LEL	£ 1,022.00	UB
XNX-RMAV-MNCB1	XNX Gas Detector, HART® over 4-20mA and Modbus output, CU-TR, 4 x M25 entries, painted Aluminium, includes MPD catalytic sensor 0-100%LEL	£ 990.00	UB
XNX-RMAV-MHCB1	XNX Gas Detector, HART® over 4-20mA and Modbus output and local HART® interface port, CU-TR, 3 x M25 entries, painted Aluminium, includes MPD catalytic sensor 0-100%LEL	£ 1,056.00	UB

XNX Stainless Steel Transmitter CU-TR with MPD Infrared Hydrocarbon (Propane) Sensor 0-100%LEL

Part Number	Description	GBP	PG
XNX-RMSV-NNIF1	XNX Gas Detector, HART® over 4-20mA output, CU-TR, 4 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,342.00	UB
XNX-RMSV-NHIF1	XNX Gas Detector, HART® over 4-20mA output and local HART® interface port, CU-TR, 3 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,403.00	UB
XNX-RMSV-RNIF1	XNX Gas Detector, HART® over 4-20mA output and 3 fault/alarm relays, CU-TR, 4 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,403.00	UB
XNX-RMSV-RHIF1	XNX Gas Detector, HART® over 4-20mA output, 3 fault/alarm relays and local HART® interface port, CU-TR, 3 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,464.00	UB
XNX-RMSV-MNIF1	XNX Gas Detector, HART® over 4-20mA and Modbus output, CU-TR, 4 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,434.00	UB
XNX-RMSV-MHIF1	XNX Gas Detector, HART® over 4-20mA and Modbus output and local HART® interface port, CU-TR, 3 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,495.00	UB

XNX Aluminium Transmitter CU-TR with MPD Infrared Hydrocarbon (Propane) Sensor 0-100%LEL

Part Number	Description	GBP	PG
XNX-RMAV-NNIF1	XNX Gas Detector, HART® over 4-20mA output, CU-TR, 4 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,151.00	UB
XNX-RMAV-NHIF1	XNX Gas Detector, HART® over 4-20mA output and local HART® interface port, CU-TR, 3 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,214.00	UB
XNX-RMAV-RNIF1	XNX Gas Detector, HART® over 4-20mA output and 3 fault/alarm relays, CU-TR, 4 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,214.00	UB
XNX-RMAV-RHIF1	XNX Gas Detector, HART® over 4-20mA output, 3 fault/alarm relays and local HART® interface port, CU-TR, 3 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,279.00	UB
XNX-RMAV-MNIF1	XNX Gas Detector, HART® over 4-20mA and Modbus output, CU-TR, 4 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,247.00	UB
XNX-RMAV-MHIF1	XNX Gas Detector, HART® over 4-20mA and Modbus output and local HART® interface port, CU-TR, 3 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Propane) sensor 0-100%LEL	£ 1,310.00	UB

19. XNX Universal Transmitter with MPD Sensor



XNX Stainless Steel Transmitter CU-TR with MPD Infrared Methane Sensor 0-100%LEL (0-5%V/V).

Part Number	Description	GBP	PG
XNX-RMSV-NNIV1	XNX Gas Detector, HART® over 4-20mA output, CU-TR, 4 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,342.00	UB
XNX-RMSV-NHIV1	XNX Gas Detector, HART® over 4-20mA output and local HART® interface port, CU-TR, 3 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,403.00	UB
XNX-RMSV-RNIV1	XNX Gas Detector, HART® over 4-20mA output and 3 fault/alarm relays, CU-TR, 4 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,403.00	UB
XNX-RMSV-RHIV1	XNX Gas Detector, HART® over 4-20mA output, 3 fault/alarm relays and local HART® interface port, CU-TR, 3 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,464.00	UB
XNX-RMSV-MNIV1	XNX Gas Detector, HART® over 4-20mA and Modbus output, CU-TR, 4 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,434.00	UB
XNX-RMSV-MHIV1	XNX Gas Detector, HART® over 4-20mA and Modbus output and local HART® interface port, CU-TR, 3 x M25 entries, painted 316SS, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,495.00	UB

XNX Aluminium Transmitter CU-TR with MPD Infrared Methane Sensor 0-100%LEL (0-5%V/V).

Part Number	Description	GBP	PG
XNX-RMAV-NNIV1	XNX Gas Detector, HART® over 4-20mA output, CU-TR, 4 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,151.00	UB
XNX-RMAV-NHIV1	XNX Gas Detector, HART® over 4-20mA output and local HART® interface port, CU-TR, 3 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,214.00	UB
XNX-RMAV-RNIV1	XNX Gas Detector, HART® over 4-20mA output and 3 fault/alarm relays, CU-TR, 4 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,214.00	UB
XNX-RMAV-RHIV1	XNX Gas Detector, HART® over 4-20mA output, 3 fault/alarm relays and local HART® interface port, CU-TR, 3 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,279.00	UB
XNX-RMAV-MNIV1	XNX Gas Detector, HART® over 4-20mA and Modbus output, CU-TR, 4 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,247.00	UB
XNX-RMAV-MHIV1	XNX Gas Detector, HART® over 4-20mA and Modbus output and local HART® interface port, CU-TR, 3 x M25 entries, painted Aluminium, includes MPD IR hydrocarbon (Methane) sensor 0-100%LEL (0-5%v/v)	£ 1,310.00	UB

XNX Stainless Steel Transmitter CU-TR with MPD Infrared CO2 Sensor 0-5%V/V.

Part Number	Description	GBP	PG
XNX-RMSV-NNIC1	XNX Gas Detector, HART® over 4-20mA output, CU-TR, 4 x M25 entries, painted 316SS, includes MPD IR CO2 sensor 0-5%v/v	£ 1,342.00	UB
XNX-RMSV-NHIC1	XNX Gas Detector, HART® over 4-20mA output and local HART® interface port, CU-TR, 3 x M25 entries, painted 316SS, includes MPD IR CO2 sensor 0-5%v/v	£ 1,403.00	UB
XNX-RMSV-RNIC1	XNX Gas Detector, HART® over 4-20mA output and 3 fault/alarm relays, CU-TR, 4 x M25 entries, painted 316SS, includes MPD IR CO2 sensor 0-5%v/v	£ 1,403.00	UB
XNX-RMSV-RHIC1	XNX Gas Detector, HART® over 4-20mA output, 3 fault/alarm relays and local HART® interface port, CU-TR, 3 x M25 entries, painted 316SS, includes MPD IR CO2 sensor 0-5%v/v	£ 1,464.00	UB
XNX-RMSV-MNIC1	XNX Gas Detector, HART® over 4-20mA and Modbus output, CU-TR, 4 x M25 entries, painted 316SS, includes MPD IR CO2 sensor 0-5%v/v	£ 1,434.00	UB
XNX-RMSV-MHIC1	XNX Gas Detector, HART® over 4-20mA and Modbus output and local HART® interface port, CU-TR, 3 x M25 entries, painted 316SS, includes MPD IR CO2 sensor 0-5%v/v	£ 1,495.00	UB

19. XNX Universal Transmitter with MPD Sensor



XNX Aluminium Transmitter CU-TR with MPD Infrared CO2 Sensor 0-5%V/V.

Part Number	Description	GBP	PG
XNX-RMAV-NNIC1	XNX Gas Detector, HART® over 4-20mA output, CU-TR, 4 x M25 entries, painted Aluminium, includes MPD IR CO2 sensor 0-5%v/v	£ 1,151.00	UB
XNX-RMAV-NHIC1	XNX Gas Detector, HART® over 4-20mA output and local HART® interface port, CU-TR, 3 x M25 entries, painted Aluminium, includes MPD IR CO2 sensor 0-5%v/v	£ 1,214.00	UB
XNX-RMAV-RNIC1	XNX Gas Detector, HART® over 4-20mA output and 3 fault/alarm relays, CU-TR, 4 x M25 entries, painted Aluminium, includes MPD IR CO2 sensor 0-5%v/v	£ 1,214.00	UB
XNX-RMAV-RHIC1	XNX Gas Detector, HART® over 4-20mA output, 3 fault/alarm relays and local HART® interface port, CU-TR, 3 x M25 entries, painted Aluminium, includes MPD IR CO2 sensor 0-5%v/v	£ 1,279.00	UB
XNX-RMAV-MNIC1	XNX Gas Detector, HART® over 4-20mA and Modbus output, CU-TR, 4 x M25 entries, painted Aluminium, includes MPD IR CO2 sensor 0-5%v/v	£ 1,247.00	UB
XNX-RMAV-MHIC1	XNX Gas Detector, HART® over 4-20mA and Modbus output and local HART® interface port, CU-TR, 3 x M25 entries, painted Aluminium, includes MPD IR CO2 sensor 0-5%v/v	£ 1,310.00	UB

19.2 Spare MPD Sensors

MPD: Multi-Purpose Detector (mV) - ATEX/IECEX/INMETRO

Part Number	Description	GBP	PG
MPD-AMCB1	XNX MPD Sensor, M25, ATEX/IECEX/INMETRO, Catalytic Bead, Flammables (Methane Cal) 0-100%LEL	£ 376.00	UC
MPD-AMIF1	XNX MPD Sensor, M25, ATEX/IECEX/INMETRO, IR Hydrocarbons (Propane Cal) 0-100%LEL	£ 628.00	UC
MPD-AMIV1	XNX MPD Sensor, M25, ATEX/IECEX/INMETRO, IR Methane 0-100%LEL or 0-5.00% v/v	£ 628.00	UC
MPD-AMIC1	XNX MPD Sensor, M25, ATEX/IECEX/INMETRO, IR Carbon Dioxide 0-5% v/v	£ 628.00	UC

MPD: Multi-Purpose Detector (mV) - UL/CSA

Part Number	Description	GBP	PG
MPD-UTCB1	XNX MPD Sensor, 3/4"NPT, UL/CSA, Catalytic Bead, Flammables (Methane Cal) 0-100%LEL	£ 376.00	UC
MPD-UTIF1	XNX MPD Sensor, 3/4"NPT, UL/CSA, IR Hydrocarbons (Propane Cal) 0-100%LEL	£ 628.00	UC
MPD-UTIV1	XNX MPD Sensor, 3/4"NPT, UL/CSA, IR Methane 0-100%LEL or 0-5.00% v/v	£ 628.00	UC
MPD-UTIC1	XNX MPD Sensor, 3/4"NPT, UL/CSA, IR Carbon Dioxide 0-5% v/v	£ 628.00	UC

MPD: Multi-Purpose Detector (mV) - CU-TR

Part Number	Description	GBP	PG
MPD-RMCB1	XNX MPD Sensor, M25, CU-TR, Catalytic Bead, Flammables (Methane Cal) 0-100%LEL	£ 376.00	UC
MPD-RMIF1	XNX MPD Sensor, M25, CU-TR, IR Hydrocarbons (Propane Cal) 0-100%LEL	£ 628.00	UC
MPD-RMIV1	XNX MPD Sensor, M25, CU-TR, IR Methane 0-100%LEL or 0-5.00% v/v	£ 628.00	UC
MPD-RMIC1	XNX MPD Sensor, M25, CU-TR, IR Carbon Dioxide 0-5% v/v	£ 628.00	UC

19.3 MPD Replaceable Cells

MPD Replaceable Cells

Part Number	Description	GBP	PG
1226A0359	XNX MPD Replaceable Cell Catalytic Bead, Flammables (Methane Cal) 0-100%LEL	£ 188.00	UC
1226-0300	XNX MPD Replaceable Cell, IR Hydrocarbons (Propane Cal) 0-100%LEL	£ 439.00	UC
1226-0299	XNX MPD Replaceable Cell IR Methane 0-100%LEL or 0-5.00% Vol.	£ 439.00	UC
1226-0301	XNX MPD Replaceable Cell IR Carbon Dioxide 0-5.00% Vol.	£ 439.00	UC

20. XNX Universal Transmitter (Flammable)

for use with Sensepoint Flammable, Sensepoint Flammable ppm, Sensepoint HT or Model 705 High Temperature



XNX Universal Transmitter does not include any sensor. Order required sensor separately from other appropriate section of price list. Each transmitter is supplied and tested for mV input sensors, with a magnetic wand/screwdriver, allen keys, jumpers, blanking plugs and any optional accessories ordered.



20.1 Instrument

XNX Stainless Steel Transmitter ATEX/IEC for use with Sensepoint Flammable or Model 705HT sensor.

Part Number	Description	GBP	PG
XNX-AMSV-NNNNN	XNX Transmitter, HART® over 4-20mA output, ATEX/IECEX, 5 x M25 entries, painted 316SS, configured for Sensepoint High Temperature Sensor	£ 435.00	UB
XNX-AMSV-NHNNN	XNX Transmitter, HART® over 4-20mA output and local HART® interface port, ATEX/IECEX, 4 x M25 entries, painted 316SS, configured for Sensepoint High Temperature Sensor	£ 496.00	UB
XNX-AMSV-RNNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays, ATEX/IECEX, 5 x M25 entries, painted 316SS, configured for Sensepoint High Temperature Sensor	£ 496.00	UB
XNX-AMSV-RHNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays and local HART® interface port, ATEX/IECEX, 4 x M25 entries, painted 316SS, configured for Sensepoint High Temperature Sensor	£ 557.00	UB
XNX-AMSV-MNNNN	XNX Transmitter, HART® over 4-20mA and Modbus output, ATEX/IECEX, 5 x M25 entries, painted 316SS, configured for Sensepoint High Temperature Sensor	£ 526.00	UB
XNX-AMSV-MHNNN	XNX Transmitter, HART® over 4-20mA and Modbus output and local HART® interface port, ATEX/IECEX, 4 x M25 entries, painted 316SS, configured for Sensepoint High Temperature Sensor	£ 588.00	UB
XNX-AMSV-FNNNN	XNX Transmitter, HART® over 4-20mA and Foundation Fieldbus™ output, ATEX/IECEX, 5 x M25 entries, painted 316SS, configured for Sensepoint High Temperature Sensor	£ 557.00	UB
XNX-AMSV-FHNNN	XNX Transmitter, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, ATEX/IECEX, 4 x M25 entries, painted 316SS, configured for Sensepoint High Temperature Sensor	£ 619.00	UB

XNX Aluminum Transmitter ATEX/IECEX for use with Sensepoint High Temperature Sensor

Part Number	Description	GBP	PG
XNX-AMAV-NNNNN	XNX Transmitter, HART® over 4-20mA output, ATEX/IECEX, 5 x M25 entries, painted Aluminium, configured for Sensepoint High Temperature Sensor	£ 326.00	UB
XNX-AMAV-NHNNN	XNX Transmitter, HART® over 4-20mA output and local HART® interface port, ATEX/IECEX, 4 x M25 entries, painted Aluminium, configured for Sensepoint High Temperature Sensor	£ 389.00	UB
XNX-AMAV-RNNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays, ATEX/IECEX, 5 x M25 entries, painted Aluminium, configured for Sensepoint High Temperature Sensor	£ 389.00	UB
XNX-AMAV-RHNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays and local HART® interface port, ATEX/IECEX, 4 x M25 entries, painted Aluminium, configured for Sensepoint High Temperature Sensor	£ 454.00	UB
XNX-AMAV-MNNNN	XNX Transmitter, HART® over 4-20mA and Modbus output, ATEX/IECEX, 5 x M25 entries, painted Aluminium, configured for Sensepoint High Temperature Sensor	£ 421.00	UB
XNX-AMAV-MHNNN	XNX Transmitter, HART® over 4-20mA and Modbus output and local HART® interface port, ATEX/IECEX, 4 x M25 entries, painted Aluminium, configured for Sensepoint High Temperature Sensor	£ 485.00	UB
XNX-AMAV-FNNNN	XNX Transmitter, HART® over 4-20mA and Foundation Fieldbus™ output, ATEX/IECEX, 5 x M25 entries, painted Aluminium, configured for Sensepoint High Temperature Sensor	£ 454.00	UB
XNX-AMAV-FHNNN	XNX Transmitter, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, ATEX/IECEX, 4 x M25 entries, painted Aluminium, configured for Sensepoint High Temperature Sensor	£ 517.00	UB

20. XNX Universal Transmitter (Flammable)

for use with Sensepoint Flammable, Sensepoint Flammable ppm,
Sensepoint HT or Model 705 High Temperature



XNX Stainless Steel Transmitter UL/CSA for use with model 705 High Temperature Sensor

Part Number	Description	GBP	PG
XNX-UTSV-NNNNN	XNX Transmitter, HART® over 4-20mA output, UL/CSA, 5 x 3/4"NPT entries, painted 316SS, configured for 705 High Temperature Sensor	£ 435.00	UB
XNX-UTSV-NHNNN	XNX Transmitter, HART® over 4-20mA output and local HART® interface port, UL/CSA, 4 x 3/4"NPT entries, painted 316SS, configured for 705 High Temperature Sensor	£ 496.00	UB
XNX-UTSV-RNNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays, UL/CSA, 5 x 3/4"NPT entries, painted 316SS, configured for 705 High Temperature Sensor	£ 496.00	UB
XNX-UTSV-RHNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays and local HART® interface port, UL/CSA, 4 x 3/4"NPT entries, painted 316SS, configured for 705 High Temperature Sensor	£ 557.00	UB
XNX-UTSV-MNNNN	XNX Transmitter, HART® over 4-20mA and Modbus output, UL/CSA, 5 x 3/4"NPT entries, painted 316SS, configured for 705 High Temperature Sensor	£ 526.00	UB
XNX-UTSV-MHNNN	XNX Transmitter, HART® over 4-20mA and Modbus output and local HART® interface port, UL/CSA, 4 x 3/4"NPT entries, painted 316SS, configured for 705 High Temperature Sensor	£ 588.00	UB
XNX-UTSV-FNNNN	XNX Transmitter, HART® over 4-20mA and Foundation Fieldbus™ output, UL/CSA, 5 x 3/4"NPT entries, painted 316SS, configured for 705 High Temperature Sensor	£ 557.00	UB
XNX-UTSV-FHNNN	XNX Transmitter, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, UL/CSA, 4 x 3/4"NPT entries, painted 316SS, configured for 705 High Temperature Sensor	£ 619.00	UB

XNX Aluminum Transmitter UL/CSA for use with 705 High Temperature Sensor

Part Number	Description	GBP	PG
XNX-UTAV-NNNNN	XNX Transmitter, HART® over 4-20mA output, UL/CSA, 5 x 3/4"NPT entries, painted Aluminium, configured for 705 High Temperature Sensor	£ 326.00	UB
XNX-UTAV-NHNNN	XNX Transmitter, HART® over 4-20mA output and local HART® interface port, UL/CSA, 4 x 3/4"NPT entries, painted Aluminium, configured for 705 High Temperature Sensor	£ 389.00	UB
XNX-UTAV-RNNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays, UL/CSA, 5 x 3/4"NPT entries, painted Aluminium, configured for 705 High Temperature Sensor	£ 389.00	UB
XNX-UTAV-RHNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays and local HART® interface port, UL/CSA, 4 x 3/4"NPT entries, painted Aluminium, configured for 705 High Temperature Sensor	£ 454.00	UB
XNX-UTAV-MNNNN	XNX Transmitter, HART® over 4-20mA and Modbus output, UL/CSA, 5 x 3/4"NPT entries, painted Aluminium, configured for 705 High Temperature Sensor	£ 421.00	UB
XNX-UTAV-MHNNN	XNX Transmitter, HART® over 4-20mA and Modbus output and local HART® interface port, UL/CSA, 4 x 3/4"NPT entries, painted Aluminium, configured for 705 High Temperature Sensor	£ 485.00	UB
XNX-UTAV-FNNNN	XNX Transmitter, HART® over 4-20mA and Foundation Fieldbus™ output, UL/CSA, 5 x 3/4"NPT entries, painted Aluminium, configured for 705 High Temperature Sensor	£ 454.00	UB
XNX-UTAV-FHNNN	XNX Transmitter, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, UL/CSA, 4 x 3/4"NPT entries, painted LM25, configured for 705 High Temperature Sensor	£ 517.00	UB

20. XNX Universal Transmitter (Flammable)

for use with Sensepoint Flammable, Sensepoint Flammable ppm, Sensepoint HT or Model 705 High Temperature



XNX Stainless Steel Transmitter CU-TR for use with Sensepoint High Temperature Sensor

Part Number	Description	GBP	PG
XNX-RMSV-NNNNN	XNX Transmitter, HART® over 4-20mA output, CU-TR, 5 x M25 entries, painted 316SS, configured for Sensepoint High Temperature Sensor	£ 435.00	UB
XNX-RMSV-NHNNN	XNX Transmitter, HART® over 4-20mA output and local HART® interface port, CU-TR, 4 x M25 entries, painted 316SS, configured for Sensepoint High Temperature Sensor	£ 496.00	UB
XNX-RMSV-RNNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays, CU-TR, 5 x M25 entries, painted 316SS, configured for Sensepoint High Temperature Sensor	£ 496.00	UB
XNX-RMSV-RHNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays and local HART® interface port, CU-TR, 4 x M25 entries, painted 316SS, configured for Sensepoint High Temperature Sensor	£ 557.00	UB
XNX-RMSV-MNNNN	XNX Transmitter, HART® over 4-20mA and Modbus output, CU-TR, 5 x M25 entries, painted 316SS, configured for Sensepoint High Temperature Sensor	£ 526.00	UB
XNX-RMSV-MHNNN	XNX Transmitter, HART® over 4-20mA and Modbus output and local HART® interface port, CU-TR, 4 x M25 entries, painted 316SS, configured for Sensepoint High Temperature Sensor	£ 588.00	UB

XNX Aluminum Transmitter CU-TR for use with Sensepoint High Temperature Sensor

Part Number	Description	GBP	PG
XNX-RMAV-NNNNN	XNX Transmitter, HART® over 4-20mA output, CU-TR, 5 x M25 entries, painted Aluminium, configured for Sensepoint High Temperature Sensor	£ 326.00	UB
XNX-RMAV-NHNNN	XNX Transmitter, HART® over 4-20mA output and local HART® interface port, CU-TR, 4 x M25 entries, painted Aluminium, configured for Sensepoint High Temperature Sensor	£ 389.00	UB
XNX-RMAV-RNNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays, CU-TR, 5 x M25 entries, painted Aluminium, configured for Sensepoint High Temperature Sensor	£ 389.00	UB
XNX-RMAV-RHNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays and local HART® interface port, CU-TR, 4 x M25 entries, painted Aluminium, configured for Sensepoint High Temperature Sensor	£ 454.00	UB
XNX-RMAV-MNNNN	XNX Transmitter, HART® over 4-20mA and Modbus output, CU-TR, 5 x M25 entries, painted Aluminium, configured for Sensepoint High Temperature Sensor	£ 421.00	UB
XNX-RMAV-MHNNN	XNX Transmitter, HART® over 4-20mA and Modbus output and local HART® interface port, CU-TR, 4 x M25 entries, painted Aluminium, configured for Sensepoint High Temperature Sensor	£ 485.00	UB

21. XNX Universal Transmitter (Toxic/Oxygen)

for use with XNX Toxic and Oxygen Sensors



XNX Universal Transmitter including sensor socket; but, excluding toxic or oxygen sensor. Order required sensor separately from the XNX toxic and oxygen sensors section below. Supplied with a magnetic and/screwdriver, allen keys, jumpers, blanking plugs and any optional accessories ordered.



21.1 Instrument

XNX Stainless Steel Transmitter ATEX/IECEX/INMETRO for use with XNX Toxic and Oxygen Sensors

Part Number	Description	GBP	PG
XNX-AMSE-NNNNN	XNX Transmitter, HART® over 4-20mA output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted 316SS, configured for XNX toxic and oxygen sensors	£ 975.00	UB
XNX-AMSE-NHNNN	XNX Transmitter, HART® over 4-20mA output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted 316SS, configured for XNX toxic and oxygen sensors	£ 1,037.00	UB
XNX-AMSE-RNNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays, ATEX/IECEX/INMETRO, 4 x M25 entries, painted 316SS, configured for XNX toxic and oxygen sensors	£ 1,037.00	UB
XNX-AMSE-RHNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted 316SS, configured for XNX toxic and oxygen sensors	£ 1,098.00	UB
XNX-AMSE-MNNNN	XNX Transmitter, HART® over 4-20mA and Modbus output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted 316SS, configured for XNX toxic and oxygen sensors	£ 1,068.00	UB
XNX-AMSE-MHNNN	XNX Transmitter, HART® over 4-20mA and Modbus output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted 316SS, configured for XNX toxic and oxygen sensors	£ 1,128.00	UB
XNX-AMSE-FNNNN	XNX Transmitter, HART® over 4-20mA and Foundation Fieldbus™ output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted 316SS, configured for XNX toxic and oxygen sensors	£ 1,098.00	UB
XNX-AMSE-FHNNN	XNX Transmitter, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted 316SS, configured for XNX toxic and oxygen sensors	£ 1,159.00	UB

XNX Aluminium Transmitter ATEX/IECEX/INMETRO for use with XNX Toxic and Oxygen Sensors

Part Number	Description	GBP	PG
XNX-AMAE-NNNNN	XNX Transmitter, HART® over 4-20mA output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted Aluminium, configured for XNX toxic and oxygen sensors	£ 767.00	UB
XNX-AMAE-NHNNN	XNX Transmitter, HART® over 4-20mA output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted Aluminium, configured for XNX toxic and oxygen sensors	£ 831.00	UB
XNX-AMAE-RNNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays, ATEX/IECEX/INMETRO, 4 x M25 entries, painted Aluminium, configured for XNX toxic and oxygen sensors	£ 831.00	UB
XNX-AMAE-RHNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted Aluminium, configured for XNX toxic and oxygen sensors	£ 895.00	UB
XNX-AMAE-MNNNN	XNX Transmitter, HART® over 4-20mA and Modbus output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted Aluminium, configured for XNX toxic and oxygen sensors	£ 863.00	UB
XNX-AMAE-MHNNN	XNX Transmitter, HART® over 4-20mA and Modbus output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted Aluminium, configured for XNX toxic and oxygen sensors	£ 927.00	UB

21. XNX Universal Transmitter (Toxic/Oxygen)

for use with XNX Toxic and Oxygen Sensors



Part Number	Description	GBP	PG
XNX-AMAE-FNNNN	XNX Transmitter, HART® over 4-20mA and Foundation Fieldbus™ output, ATEX/IECEX/INMETRO, 4 x M25 entries, painted Aluminium, configured for XNX toxic and oxygen sensors	£ 895.00	UB
XNX-AMAE-FHNNN	XNX Transmitter, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, ATEX/IECEX/INMETRO, 3 x M25 entries, painted Aluminium, configured for XNX toxic and oxygen sensors	£ 958.00	UB

XNX Stainless Steel Transmitter UL/CSA for use with XNX Toxic and Oxygen Sensors

Part Number	Description	GBP	PG
XNX-UTSE-NNNNN	XNX Transmitter, HART® over 4-20mA output, UL/CSA, 4 x 3/4"NPT entries, painted 316SS, configured for XNX toxic and oxygen sensors	£ 975.00	UB
XNX-UTSE-NHNNN	XNX Transmitter, HART® over 4-20mA output and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted 316SS, configured for XNX toxic and oxygen sensors	£ 1,037.00	UB
XNX-UTSE-RNNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays, UL/CSA, 4 x 3/4"NPT entries, painted 316SS, configured for XNX toxic and oxygen sensors	£ 1,037.00	UB
XNX-UTSE-RHNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted 316SS, configured for XNX toxic and oxygen sensors	£ 1,098.00	UB
XNX-UTSE-MNNNN	XNX Transmitter, HART® over 4-20mA and Modbus output, UL/CSA, 4 x 3/4"NPT entries, painted 316SS, configured for XNX toxic and oxygen sensors	£ 1,068.00	UB
XNX-UTSE-MHNNN	XNX Transmitter, HART® over 4-20mA and Modbus output and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted 316SS, configured for XNX toxic and oxygen sensors	£ 1,128.00	UB
XNX-UTSE-FNNNN	XNX Transmitter, HART® over 4-20mA and Foundation Fieldbus™ output, UL/CSA, 4 x 3/4"NPT entries, painted 316SS, configured for XNX toxic and oxygen sensors	£ 1,098.00	UB
XNX-UTSE-FHNNN	XNX Transmitter, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted 316SS, configured for XNX toxic and oxygen sensors	£ 1,159.00	UB

XNX Aluminium Transmitter UL/CSA for use with XNX Toxic and Oxygen Sensors

Part Number	Description	GBP	PG
XNX-UTAE-NNNNN	XNX Transmitter, HART® over 4-20mA output, UL/CSA, 4 x 3/4"NPT entries, painted Aluminium, configured for XNX toxic and oxygen sensors	£ 767.00	UB
XNX-UTAE-NHNNN	XNX Transmitter, HART® over 4-20mA output and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted Aluminium, configured for XNX toxic and oxygen sensors	£ 831.00	UB
XNX-UTAE-RNNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays, UL/CSA, 4 x 3/4"NPT entries, painted Aluminium, configured for XNX toxic and oxygen sensors	£ 831.00	UB
XNX-UTAE-RHNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted Aluminium, configured for XNX toxic and oxygen sensors	£ 895.00	UB
XNX-UTAE-MNNNN	XNX Transmitter, HART® over 4-20mA and Modbus output, UL/CSA, 4 x 3/4"NPT entries, painted Aluminium, configured for XNX toxic and oxygen sensors	£ 863.00	UB
XNX-UTAE-MHNNN	XNX Transmitter, HART® over 4-20mA and Modbus output and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted Aluminium, configured for XNX toxic and oxygen sensors	£ 927.00	UB
XNX-UTAE-FNNNN	XNX Transmitter, HART® over 4-20mA and Foundation Fieldbus™ output, UL/CSA, 4 x 3/4"NPT entries, painted Aluminium, configured for XNX toxic and oxygen sensors	£ 895.00	UB
XNX-UTAE-FHNNN	XNX Transmitter, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, UL/CSA, 3 x 3/4"NPT entries, painted Aluminium, configured for XNX toxic and oxygen sensors	£ 958.00	UB

21. XNX Universal Transmitter (Toxic/Oxygen)

for use with XNX Toxic and Oxygen Sensors



XNX Stainless Steel Transmitter CU-TR for use with XNX Toxic and Oxygen Sensors

Part Number	Description	GBP	PG
XNX-RMSE-NNNNN	XNX Transmitter, HART® over 4-20mA output, CU-TR, 4 x M25 entries, painted 316SS, configured for XNX toxic and oxygen sensors	£ 975.00	UB
XNX-RMSE-NHNNN	XNX Transmitter, HART® over 4-20mA output and local HART® interface port, CU-TR, 3 x M25 entries, painted 316SS, configured for XNX toxic and oxygen sensors	£ 1,037.00	UB
XNX-RMSE-RNNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays, CU-TR, 4 x M25 entries, painted 316SS, configured for XNX toxic and oxygen sensors	£ 1,037.00	UB
XNX-RMSE-RHNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays and local HART® interface port, CU-TR, 3 x M25 entries, painted 316SS, configured for XNX toxic and oxygen sensors	£ 1,098.00	UB
XNX-RMSE-MNNNN	XNX Transmitter, HART® over 4-20mA and Modbus output, CU-TR, 4 x M25 entries, painted 316SS, configured for XNX toxic and oxygen sensors	£ 1,068.00	UB
XNX-RMSE-MHNNN	XNX Transmitter, HART® over 4-20mA and Modbus output and local HART® interface port, CU-TR, 3 x M25 entries, painted 316SS, configured for XNX toxic and oxygen sensors	£ 1,128.00	UB

XNX Aluminium Transmitter CU-TR for use with XNX Toxic and Oxygen Sensors

Part Number	Description	GBP	PG
XNX-RMAE-NNNNN	XNX Transmitter, HART® over 4-20mA output, CU-TR, 4 x M25 entries, painted Aluminium, configured for XNX toxic and oxygen sensors	£ 767.00	UB
XNX-RMAE-NHNNN	XNX Transmitter, HART® over 4-20mA output and local HART® interface port, CU-TR, 3 x M25 entries, painted Aluminium, configured for XNX toxic and oxygen sensors	£ 831.00	UB
XNX-RMAE-RNNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays, CU-TR, 4 x M25 entries, painted Aluminium, configured for XNX toxic and oxygen sensors	£ 831.00	UB
XNX-RMAE-RHNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays and local HART® interface port, CU-TR, 3 x M25 entries, painted Aluminium, configured for XNX toxic and oxygen sensors	£ 895.00	UB
XNX-RMAE-MNNNN	XNX Transmitter, HART® over 4-20mA and Modbus output, CU-TR, 4 x M25 entries, painted Aluminium, configured for XNX toxic and oxygen sensors	£ 863.00	UB
XNX-RMAE-MHNNN	XNX Transmitter, HART® over 4-20mA and Modbus output and local HART® interface port, CU-TR, 3 x M25 entries, painted Aluminium, configured for XNX toxic and oxygen sensors	£ 927.00	UB

21.2 XNX Toxic & Oxygen Sensors

A range of toxic and Oxygen sensors for use with the XNX transmitter. Sensors have replaceable Cells.

XNX Toxic and Oxygen Sensors

Part Number	Description	GBP	PG
XNXXSO1SS	XNX sensor Oxygen 0-25% v/v	£ 263.00	UB
XNXXSC1SS	XNX sensor Carbon Monoxide 0-300ppm (100 to 500ppm, 100ppm)	£ 263.00	UB
XNXXSH3SS	XNX sensor Hydrogen Sulfide 0-5ppm (1.5 to 5ppm, 0.1ppm)	£ 263.00	UB
XNXXSH1SS	XNX sensor Hydrogen Sulfide 0-15ppm (10 to 50ppm, 1ppm)	£ 263.00	UB
XNXXSH2SS	XNX sensor Hydrogen Sulfide 0-100ppm (50 to 500ppm, 10ppm)	£ 263.00	UB
XNXXSZ1SS	XNX sensor Ozone 0-0.4ppm	£ 292.00	UB
XNXXSL1SS	XNX sensor Chlorine 0-5.0ppm (5.0 to 20.0ppm, 5.0ppm)	£ 328.00	UB
XNXXSL2SS	XNX sensor Chlorine 0-5.0ppm	£ 328.00	UB
XNXXSS1SS	XNX sensor Sulfur Dioxide 0-15.0ppm (5.0 to 20.0ppm, 5.0ppm)	£ 328.00	UB
XNXXSS2SS	XNX sensor Sulfur Dioxide 0-50.0ppm	£ 328.00	UC
XNXXSX1SS	XNX sensor Chlorine Dioxide 0-1.00ppm	£ 328.00	UB
XNXXSM1SS	XNX sensor Nitrogen Monoxide 0-100ppm	£ 328.00	UB
XNXXSN1SS	XNX sensor Nitrogen Dioxide 0-10.0ppm (5.0 to 50.0ppm, 5.0ppm)	£ 328.00	UB
XNXXSG1SS	XNX sensor Hydrogen 0-1000ppm	£ 328.00	UB
XNXXSG2SS	XNX sensor Hydrogen 0-10,000ppm	£ 328.00	UB
XNXXSR1SS	XNX sensor Hydrogen Chloride 0-10ppm (10.0 to 20.0ppm, 1.0ppm)	£ 393.00	UB
XNXXSY1SS	XNX sensor Hydrogen Cyanide 0-30.0ppm (Fixed Scale)	£ 393.00	UB
XNXXSF1SS	XNX sensor Hydrogen Fluoride 0-12.0ppm (10.0 to 12.0, 0.1 ppm)	£ 393.00	UB
XNXXSA1SS	XNX sensor Ammonia 0-200ppm (50 to 200ppm, 50ppm)	£ 393.00	UB
XNXXSA2SS	XNX sensor Ammonia 0-1000ppm (200 to 1000ppm, 50ppm)	£ 393.00	UB
XNXXSP1SS	XNX sensor Phosphine 0-1.2ppm (Fixed Scale)	£ 393.00	UB
XNXXSU1SS	XNX sensor Fluorine 4 ppm	£ 393.00	UB
XNXXSE1SS	XNX sensor Ethylene Oxide (ETO) 25.0ppm (20 to 50ppm)	£ 393.00	UB

21. XNX Universal Transmitter (Toxic/Oxygen)

for use with XNX Toxic and Oxygen Sensors



XNX Toxic and Oxygen Sensors - CU-TR

Part Number	Description	GBP	PG
XNXSO1CU	XNX sensor Oxygen 0-25% v/v CU-TR Ex	£ 259.00	UB
XNXSC1CU	XNX sensor Carbon Monoxide 0-300ppm (100 to 500ppm, 100ppm) CU-TR Ex	£ 259.00	UB
XNXSH3CU	XNX sensor Hydrogen Sulfide 0-5ppm (1.5 to 5ppm, 0.1ppm) CU-TR Ex	£ 259.00	UB
XNXSH1CU	XNX sensor Hydrogen Sulfide 0-15ppm (10 to 50ppm, 1ppm) CU-TR Ex	£ 259.00	UB
XNXSH2CU	XNX sensor Hydrogen Sulfide 0-100ppm (50 to 500ppm, 10ppm) CU-TR Ex	£ 259.00	UB
XNXSL1CU	XNX sensor Chlorine 0-5.0ppm (5.0 to 20.0ppm, 5.0ppm) CU-TR Ex	£ 326.00	UB
XNXSL2CU	XNX sensor Chlorine 0-5.0ppm CU-TR Ex	£ 326.00	UB
XNXSS1CU	XNX sensor Sulfur Dioxide 0-15.0ppm (5.0 to 20.0ppm, 5.0ppm) CU-TR Ex	£ 326.00	UB
XNXSS2CU	XNX sensor Sulfur Dioxide 0-50.0ppm CU-TR Ex	£ 326.00	UB
XNXSX1CU	XNX sensor Chlorine Dioxide 0-1.00ppm CU-TR Ex	£ 326.00	UB
XNXSM1CU	XNX sensor Nitrogen Monoxide 0-100ppm CU-TR Ex	£ 326.00	UB
XNXSN1CU	XNX sensor Nitrogen Dioxide 0-10.0ppm (5.0 to 50.0ppm, 5.0ppm) CU-TR Ex	£ 326.00	UB
XNXSG1CU	XNX sensor Hydrogen 0-1000ppm CU-TR Ex	£ 326.00	UB
XNXSG2CU	XNX sensor Hydrogen 0-10,000ppm CU-TR Ex	£ 326.00	UB
XNXSR1CU	XNX sensor Hydrogen Chloride 0-10ppm (10.0 to 20.0ppm, 1.0ppm) CU-TR Ex	£ 390.00	UB
XNXSY1CU	XNX sensor Hydrogen Cyanide 0-30.0ppm (Fixed Scale) CU-TR Ex	£ 390.00	UB
XNXSF1CU	XNX sensor Hydrogen Fluoride 0-12.0ppm (Fixed Scale) CU-TR Ex	£ 390.00	UB
XNXSA1CU	XNX sensor Ammonia 0-200ppm (50 to 200ppm, 50ppm) CU-TR Ex	£ 390.00	UB
XNXSA2CU	XNX sensor Ammonia 0-1000ppm (200 to 1000ppm, 50ppm) CU-TR Ex	£ 390.00	UB
XNXSP1CU	XNX sensor Phosphine 0-1.2ppm (Fixed Scale) CU-TR Ex	£ 390.00	UB
XNXSU1CU	XNX sensor Fluorine 4 ppm CU-TR Ex	£ 390.00	UB
XNXSE1CU	XNX sensor Ethylene Oxide (ETO) 25.0ppm (20 to 50ppm) CU-TR Ex	£ 390.00	UB

21.3 XNX Replacement Toxic & Oxygen Sensor Replaceable Cells

Replacement toxic and oxygen sensor replaceable cells for use in the XNX toxic and oxygen sensor.

XNX Toxic and Oxygen Sensors

Part Number	Description	GBP	PG
XNXO1SS	XNX Replaceable Cell Oxygen 0-25% v/v	£ 131.00	UC
XNXC1SS	XNX Replaceable Cell Carbon Monoxide 0-300ppm (100 to 500ppm, 100ppm)	£ 131.00	UC
XNXH3SS	XNX Replaceable Cell Hydrogen Sulfide 0-5ppm (1.5 to 5ppm, 0.1ppm)	£ 131.00	UC
XNXH1SS	XNX Replaceable Cell Hydrogen Sulfide 0-15ppm (10 to 50ppm, 1ppm)	£ 131.00	UC
XNXH2SS	XNX Replaceable Cell Hydrogen Sulfide 0-100ppm (50 to 500ppm, 10ppm)	£ 131.00	UC
XNXL1SS	XNX Replaceable Cell Chlorine 0-5.0ppm	£ 259.00	UC
XNXS1SS	XNX Replaceable Cell Sulfur Dioxide 0-15.0ppm (5.0 to 20.0ppm, 5.0ppm)	£ 259.00	UC
XNXX1SS	XNX Replaceable Cell Chlorine Dioxide 0-1.00ppm	£ 259.00	UC
XNXM1SS	XNX Replaceable Cell Nitrogen Monoxide 0-100ppm	£ 259.00	UC
XNXN1SS	XNX Replaceable Cell Nitrogen Dioxide 0-10.0ppm (5.0 to 50.0ppm, 5.0ppm)	£ 259.00	UC
XNXG1SS	XNX Replaceable Cell Hydrogen 0-1000ppm	£ 259.00	UC
XNXG2SS	XNX Replaceable Cell Hydrogen 0-10,000ppm	£ 259.00	UC
XNXR1SS	XNX Replaceable Cell Hydrogen Chloride 0-10ppm (10.0 to 20.0ppm, 1.0ppm)	£ 328.00	UC
XNXY1SS	XNX Replaceable Cell Hydrogen Cyanide 0-30.0ppm (Fixed Scale)	£ 326.00	UC
XNXF1SS	XNX Replaceable Cell Hydrogen Fluoride 0-12.0ppm (Fixed Scale)	£ 326.00	UC
XNXA1SS	XNX Replaceable Cell Ammonia 0-200ppm (50 to 200ppm, 50ppm)	£ 326.00	UC
XNXA2SS	XNX Replaceable Cell Ammonia 0-1000ppm (200 to 1000ppm, 50ppm)	£ 326.00	UC
XNXP1SS	XNX Replaceable Cell Phosphine 0-1.2ppm (Fixed Scale)	£ 326.00	UC
XNXU1SS	XNX Replaceable Cell Fluorine 4ppm	£ 326.00	UC
XNXE1SS	XNX Replaceable Cell Ethylene Oxide (ETO) 25.0ppm (20.0 to 50.0ppm)	£ 326.00	UC

22. XNX Universal Transmitter

for use with Optima Plus or Excel Detectors



XNX Transmitter for use with Optima Plus and Excel IR detectors.
Order Optima Plus and Excel detectors separately from the appropriate section in the price list.

Note: Kit part numbers including standard XNX transmitter configurations have been created for Excel detectors (see appropriate section in price list). Each transmitter is supplied configured and tested for Optima Plus or Excel input, with a magnetic wand/screwdriver, allen keys, jumpers, blanking plug and any optional accessories ordered.



22.1 Instrument

XNX Stainless Steel Transmitter ATEX/IECEX for use with Optima Plus and Searchline Excel Detectors

Part Number	Description	GBP	PG
XNX-AMSI-NNNNN	XNX Transmitter, HART® over 4-20mA output, ATEX/IECEX, 5 x M25 entries, painted 316SS, configured for Optima Plus and Excel	£ 854.00	UB
XNX-AMSI-NHNNN	XNX Transmitter, HART® over 4-20mA output and local HART® interface port, ATEX/IECEX, 4 x M25 entries, painted 316SS, configured for Optima Plus and Excel	£ 915.00	UB
XNX-AMSI-RNNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays, ATEX/IECEX, 5 x M25 entries, painted 316SS, configured for Optima Plus and Excel	£ 915.00	UB
XNX-AMSI-RHNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays and local HART® interface port, ATEX/IECEX, 4 x M25 entries, painted 316SS, configured for Optima Plus and Excel	£ 975.00	UB
XNX-AMSI-MNNNN	XNX Transmitter, HART® over 4-20mA and Modbus output, ATEX/IECEX, 5 x M25 entries, painted 316SS, configured for Optima Plus and Excel	£ 945.00	UB
XNX-AMSI-MHNNN	XNX Transmitter, HART® over 4-20mA and Modbus output and local HART® interface port, ATEX/IECEX, 4 x M25 entries, painted 316SS, configured for Optima Plus and Excel	£ 1,007.00	UB
XNX-AMSI-FNNNN	XNX Transmitter, HART® over 4-20mA and Foundation Fieldbus™ output, ATEX/IECEX, 5 x M25 entries, painted 316SS, configured for Optima Plus and Excel	£ 975.00	UB
XNX-AMSI-FHNNN	XNX Transmitter, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, ATEX/IECEX, 4 x M25 entries, painted 316SS, configured for Optima Plus and Excel	£ 1,037.00	UB

22. XNX Universal Transmitter

for use with Optima Plus or Excel Detectors



XNX Aluminium Transmitter ATEX/IEC for use with Optima Plus and Searchline Excel Detectors

Part Number	Description	GBP	PG
XNX-AMAI-NNNNN	XNX Transmitter, HART® over 4-20mA output, ATEX/IECEX, 5 x M25 entries, painted Aluminium, configured for Optima Plus and Excel	£ 638.00	UB
XNX-AMAI-NHNNN	XNX Transmitter, HART® over 4-20mA output and local HART® interface port, ATEX/IECEX, 4 x M25 entries, painted Aluminium, configured for Optima Plus and Excel	£ 703.00	UB
XNX-AMAI-RNNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays, ATEX/IECEX, 5 x M25 entries, painted Aluminium, configured for Optima Plus and Excel	£ 703.00	UB
XNX-AMAI-RHNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays and local HART® interface port, ATEX/IECEX, 4 x M25 entries, painted Aluminium, configured for Optima Plus and Excel	£ 767.00	UB
XNX-AMAI-MNNNN	XNX Transmitter, HART® over 4-20mA and Modbus output, ATEX/IECEX, 5 x M25 entries, painted Aluminium, configured for Optima Plus and Excel	£ 735.00	UB
XNX-AMAI-MHNNN	XNX Transmitter, HART® over 4-20mA and Modbus output and local HART® interface port, ATEX/IECEX, 4 x M25 entries, painted Aluminium, configured for Optima Plus and Excel	£ 799.00	UB
XNX-AMAI-FNNNN	XNX Transmitter, HART® over 4-20mA and Foundation Fieldbus™ output, ATEX/IECEX, 5 x M25 entries, painted Aluminium, configured for Optima Plus and Excel	£ 767.00	UB
XNX-AMAI-FHNNN	XNX Transmitter, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, ATEX/IECEX, 4 x M25 entries, painted Aluminium, configured for Optima Plus and Excel	£ 831.00	UB

XNX Stainless Steel Transmitter UL/CSA for use with Optima Plus and Searchline Excel Detectors

Part Number	Description	GBP	PG
XNX-UTSI-NNNNN	XNX Transmitter, HART® over 4-20mA output, UL/CSA, 5 x 3/4"NPT entries, painted 316SS, configured for Optima Plus and Excel	£ 854.00	UB
XNX-UTSI-NHNNN	XNX Transmitter, HART® over 4-20mA output and local HART® interface port, UL/CSA, 4 x 3/4"NPT entries, painted 316SS, configured for Optima Plus and Excel	£ 915.00	UB
XNX-UTSI-RNNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays, UL/CSA, 5 x 3/4"NPT entries, painted 316SS, configured for Optima Plus and Excel	£ 915.00	UB
XNX-UTSI-RHNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays and local HART® interface port, UL/CSA, 4 x 3/4"NPT entries, painted 316SS, configured for Optima Plus and Excel	£ 975.00	UB
XNX-UTSI-MNNNN	XNX Transmitter, HART® over 4-20mA and Modbus output, UL/CSA, 5 x 3/4"NPT entries, painted 316SS, configured for Optima Plus and Excel	£ 945.00	UB
XNX-UTSI-MHNNN	XNX Transmitter, HART® over 4-20mA and Modbus output and local HART® interface port, UL/CSA, 4 x 3/4"NPT entries, painted 316SS, configured for Optima Plus and Excel	£ 1,007.00	UB
XNX-UTSI-FNNNN	XNX Transmitter, HART® over 4-20mA and Foundation Fieldbus™ output, UL/CSA, 5 x 3/4"NPT entries, painted 316SS, configured for Optima Plus and Excel	£ 975.00	UB
XNX-UTSI-FHNNN	XNX Transmitter, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, UL/CSA, 4 x 3/4"NPT entries, painted 316SS, configured for Optima Plus and Excel	£ 1,037.00	UB

22. XNX Universal Transmitter

for use with Optima Plus or Excel Detectors



XNX Aluminum Transmitter UL/CSA for use with Optima Plus and Searchline Excel Detectors

Part Number	Description	GBP	PG
XNX-UTAI-NNNNN	XNX Transmitter, HART® over 4-20mA output, UL/CSA, 5 x 3/4"NPT entries, painted Aluminium, configured for Optima Plus and Excel	£ 638.00	UB
XNX-UTAI-NHNNN	XNX Transmitter, HART® over 4-20mA output and local HART® interface port, UL/CSA, 4 x 3/4"NPT entries, painted Aluminium, configured for Optima Plus and Excel	£ 703.00	UB
XNX-UTAI-RNNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays, UL/CSA, 5 x 3/4"NPT entries, painted Aluminium, configured for Optima Plus and Excel	£ 703.00	UB
XNX-UTAI-RHNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays and local HART® interface port, UL/CSA, 4 x 3/4"NPT entries, painted Aluminium, configured for Optima Plus and Excel	£ 767.00	UB
XNX-UTAI-MNNNN	XNX Transmitter, HART® over 4-20mA and Modbus output, UL/CSA, 5 x 3/4"NPT entries, painted Aluminium, configured for Optima Plus and Excel	£ 735.00	UB
XNX-UTAI-MHNNN	XNX Transmitter, HART® over 4-20mA and Modbus output and local HART® interface port, UL/CSA, 4 x 3/4"NPT entries, painted Aluminium, configured for Optima Plus and Excel	£ 799.00	UB
XNX-UTAI-FNNNN	XNX Transmitter, HART® over 4-20mA and Foundation Fieldbus™ output, UL/CSA, 5 x 3/4"NPT entries, painted Aluminium, configured for Optima Plus and Excel	£ 767.00	UB
XNX-UTAI-FHNNN	XNX Transmitter, HART® over 4-20mA and Foundation Fieldbus™ output and local HART® interface port, UL/CSA, 4 x 3/4"NPT entries, painted Aluminium, configured for Optima Plus and Excel	£ 831.00	UB

XNX Stainless Steel Transmitter CU-TR for use with Optima Plus and Searchline Excel Detectors

Part Number	Description	GBP	PG
XNX-RMSI-NNNNN	XNX Transmitter, HART® over 4-20mA output, CU-TR, 5 x M25 entries, painted 316SS, configured for Optima Plus and Excel	£ 854.00	UB
XNX-RMSI-NHNNN	XNX Transmitter, HART® over 4-20mA output and local HART® interface port, CU-TR, 4 x M25 entries, painted 316SS, configured for Optima Plus and Excel	£ 915.00	UB
XNX-RMSI-RNNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays, CU-TR, 5 x M25 entries, painted 316SS, configured for Optima Plus and Excel	£ 915.00	UB
XNX-RMSI-RHNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays and local HART® interface port, CU-TR, 4 x M25 entries, painted 316SS, configured for Optima Plus and Excel	£ 975.00	UB
XNX-RMSI-MNNNN	XNX Transmitter, HART® over 4-20mA and Modbus output, CU-TR, 5 x M25 entries, painted 316SS, configured for Optima Plus and Excel	£ 945.00	UB
XNX-RMSI-MHNNN	XNX Transmitter, HART® over 4-20mA and Modbus output and local HART® interface port, CU-TR, 4 x M25 entries, painted 316SS, configured for Optima Plus and Excel	£ 1,007.00	UB

XNX Aluminum Transmitter CU-TR for use with Optima Plus and Searchline Excel Detectors

Part Number	Description	GBP	PG
XNX-RMAI-NNNNN	XNX Transmitter, HART® over 4-20mA output, CU-TR, 5 x M25 entries, painted Aluminium, configured for Optima Plus and Excel	£ 638.00	UB
XNX-RMAI-NHNNN	XNX Transmitter, HART® over 4-20mA output and local HART® interface port, CU-TR, 4 x M25 entries, painted Aluminium, configured for Optima Plus and Excel	£ 703.00	UB
XNX-RMAI-RNNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays, CU-TR, 5 x M25 entries, painted Aluminium, configured for Optima Plus and Excel	£ 703.00	UB
XNX-RMAI-RHNNN	XNX Transmitter, HART® over 4-20mA output and 3 fault/alarm relays and local HART® interface port, CU-TR, 4 x M25 entries, painted Aluminium, configured for Optima Plus and Excel	£ 767.00	UB
XNX-RMAI-MNNNN	XNX Transmitter, HART® over 4-20mA and Modbus output, CU-TR, 5 x M25 entries, painted Aluminium, configured for Optima Plus and Excel	£ 735.00	UB
XNX-RMAI-MHNNN	XNX Transmitter, HART® over 4-20mA and Modbus output and local HART® interface port, CU-TR, 4 x M25 entries, painted Aluminium, configured for Optima Plus and Excel	£ 799.00	UB

23. Searchline Excel kits with XNX Transmitters



Excel kits including standard XNX transmitter configured with HART® over 4-20mA output and local IS HART® port. For Excel kits including other XNX transmitter configurations contact Honeywell Analytics. A calibration has to be ordered with every XNX Excel kit.

Excel gas calibration curve to be selected from section 29.2 and to be ordered additionally.



23.1 Instrument

Excel kits including standard XNX transmitter with HART® over 4-20mA outputs and local IS HART® port.

Excel Short Range 5m – 40m (15ft - 130ft)

Part Number	Description	GBP	PG
02104-N-XSAA	XNX Excel line-of-sight gas detection system, short range (5 to 40m), 4 to 20mA and HART® outputs, ATEX/IECEX, fully wired with flexible conduit, electro polished 316SS. Includes Tx, Rx, aluminium XNX, Ex e junction box with M20/M25 cable entries, 316SS mounting plates, brackets and hardware	£ 6,518.00	UA
02104-N-XSSA	XNX Excel line-of-sight gas detection system, short range (5 to 40m), 4 to 20mA and HART® outputs, ATEX/IECEX, fully wired with flexible conduit, electro polished 316SS. Includes Tx, Rx, stainless steel XNX, Ex e junction box with M20/M25 cable entries, 316SS mounting plates, brackets and hardware	£ 6,649.00	UA
02104-N-XSAU	XNX Excel line-of-sight gas detection system, short range (5 to 40m), 4 to 20mA and HART® outputs, UL, fully wired with flexible conduit, electro polished 316SS. Includes Tx, Rx, aluminium XNX, junction box with 3/4"NPT cable entries, 316SS mounting plates, brackets and hardware	£ 6,827.00	UA
02104-N-XSSU	XNX Excel line-of-sight gas detection system, short range (5 to 40m), 4 to 20mA and HART® outputs, UL, fully wired with flexible conduit, electro polished 316SS. Includes Tx, Rx, stainless steel XNX, junction box with 3/4"NPT cable entries, 316SS mounting plates, brackets and hardware	£ 6,960.00	UA
02104-N-XSAC	XNX Excel line-of-sight gas detection system, short range (5 to 40m), 4 to 20mA and HART® outputs, FM/CSA, fully wired with flexible conduit, electro polished 316SS. Includes Tx, Rx, aluminium XNX, junction box with 3/4"NPT cable entries, 316SS mounting plates, brackets and hardware	£ 6,539.00	UA
02104-N-XSSC	XNX Excel line-of-sight gas detection system, short range (5 to 40m), 4 to 20mA and HART® outputs, FM/CSA, fully wired with flexible conduit, electro polished 316SS. Includes Tx, Rx, stainless steel XNX, junction box with 3/4"NPT cable entries, 316SS mounting plates, brackets and hardware	£ 6,671.00	UA
02104-N-NSNA	Excel line-of-sight gas detection system (without XNX, please order required XNX separately), short range (5 to 40m), 4 to 20mA output, ATEX/IECEX, fully wired with flexible conduit, electro polished 316SS. Includes Tx, Rx, 316SS mounting plates, brackets and hardware. XNX and junction boxes to be ordered separately.	£ 5,591.00	UA

23. Searchline Excel kits with XNX Transmitters



Excel Medium Range 40m – 120m (130ft - 390ft)

Part Number	Description	GBP	PG
02104-N-XMAA	XNX Excel line-of-sight gas detection system, medium range (40 to 120m), 4 to 20mA and HART® outputs, ATEX/IECEX, fully wired with flexible conduit, electro polished 316SS. Includes Tx, Rx, aluminium XNX, Ex e junction box with M20/M25 cable entries, 316SS mounting plates, brackets and hardware	£ 7,734.00	UA
02104-N-XMSA	XNX Excel line-of-sight gas detection system, medium range (40 to 120m), 4 to 20mA and HART® outputs, ATEX/IECEX, fully wired with flexible conduit, electro polished 316SS. Includes Tx, Rx, stainless steel XNX, Ex e junction box with M20/M25 cable entries, 316SS mounting plates, brackets and hardware	£ 7,866.00	UA
02104-N-XMAU	XNX Excel line-of-sight gas detection system, medium range (40 to 120m), 4 to 20mA and HART® outputs, UL, fully wired with flexible conduit, electro polished 316SS. Includes Tx, Rx, aluminium XNX, junction box with 3/4"NPT cable entries, 316SS mounting plates, brackets and hardware	£ 7,936.00	UA
02104-N-XMSU	XNX Excel line-of-sight gas detection system, medium range (40 to 120m), 4 to 20mA and HART® outputs, UL, fully wired with flexible conduit, electro polished 316SS. Includes Tx, Rx, stainless steel XNX, junction box with 3/4"NPT cable entries, 316SS mounting plates, brackets and hardware	£ 8,067.00	UA
02104-N-XMAC	XNX Excel line-of-sight gas detection system, medium range (40 to 120m), 4 to 20mA and HART® outputs, FM/CSA, fully wired with flexible conduit, electro polished 316SS. Includes Tx, Rx, aluminium XNX, junction box with 3/4"NPT cable entries, 316SS mounting plates, brackets and hardware	£ 7,936.00	UA
02104-N-XMSC	XNX Excel line-of-sight gas detection system, medium range (40 to 120m), 4 to 20mA and HART® outputs, FM/CSA, fully wired with flexible conduit, electro polished 316SS. Includes Tx, Rx, stainless steel XNX, junction box with 3/4"NPT cable entries, 316SS mounting plates, brackets and hardware	£ 8,067.00	UA
02104-N-NMNA	Excel line-of-sight gas detection system (without XNX, please order required XNX separately), medium range (40 to 120m), 4 to 20mA output, ATEX/IECEX, fully wired with flexible conduit, electro polished 316SS. Includes Tx, Rx, 316SS mounting plates, brackets and hardware. XNX and junction boxes to be ordered separately.	£ 7,069.00	UA

23. Searchline Excel kits with XNX Transmitters



Excel Long Range 120m – 200m (390ft - 650ft)

Part Number	Description	GBP	PG
02104-N-XLAA	XNX Excel line-of-sight gas detection system, long range (120 to 200m), 4 to 20mA and HART® outputs, ATEX/IECEX, fully wired with flexible conduit, electro polished 316SS. Includes Tx, Rx, aluminium XNX, Ex e junction box with M20/M25 cable entries, 316SS mounting plates, brackets and hardware	£ 10,030.00	UA
02104-N-XLSA	XNX Excel line-of-sight gas detection system, long range (120 to 200m), 4 to 20mA and HART® outputs, ATEX/IECEX, fully wired with flexible conduit, electro polished 316SS. Includes Tx, Rx, stainless steel XNX, Ex e junction box with M20/M25 cable entries, 316SS mounting plates, brackets and hardware	£ 10,161.00	UA
02104-N-XLAU	XNX Excel line-of-sight gas detection system, long range (120 to 200m), 4 to 20mA and HART® outputs, UL, fully wired with flexible conduit, electro polished 316SS. Includes Tx, Rx, aluminium XNX, junction box with 3/4"NPT cable entries, 316SS mounting plates, brackets and hardware	£ 10,226.00	UA
02104-N-XLSU	XNX Excel line-of-sight gas detection system, long range (120 to 200m), 4 to 20mA and HART® outputs, UL, fully wired with flexible conduit, electro polished 316SS. Includes Tx, Rx, stainless steel XNX, junction box with 3/4"NPT cable entries, 316SS mounting plates, brackets and hardware	£ 10,357.00	UA
02104-N-XLAC	XNX Excel line-of-sight gas detection system, long range (120 to 200m), 4 to 20mA and HART® outputs, FM/CSA, fully wired with flexible conduit, electro polished 316SS. Includes Tx, Rx, aluminium XNX, junction box with 3/4"NPT cable entries, 316SS mounting plates, brackets and hardware	£ 10,226.00	UA
02104-N-XLSC	XNX Excel line-of-sight gas detection system, long range (120 to 200m), 4 to 20mA and HART® outputs, FM/CSA, fully wired with flexible conduit, electro polished 316SS. Includes Tx, Rx, stainless steel XNX, junction box with 3/4"NPT cable entries, 316SS mounting plates, brackets and hardware	£ 10,357.00	UA
02104-N-NLNA	Excel line-of-sight gas detection system (without XNX, please order required XNX separately), long range (120 to 200m), 4 to 20mA output, ATEX/IECEX, fully wired with flexible conduit, electro polished 316SS. Includes Tx, Rx, 316SS mounting plates, brackets and hardware. XNX and junction boxes to be ordered separately.	£ 9,365.00	UA

23.2 XNX and Excel Alignment Kits

XNX & EXCEL ALIGNMENT KITS

Part Number	Description	GBP	PG
02104-N-4006X	Short Range Excel & XNX alignment and conformity kit including telescope, carry case and test filters (no SHC1)	£ 1,049.00	UC
02104-N-4007X	Long/Medium Range Excel & XNX alignment and conformity kit including telescope, carry case and test filters (no SHC1)	£ 2,265.00	UC

23.3 Excel-XNX Kits Installation Accessories

Installation Accessories

Part Number	Description	GBP	PG
94000-A-1017	XNX / Excel receiver & transmitter sunshade kit with fixing bolts in 316SST painted white - fits standard Excel mounting plate	£ 393.00	UC
90083-A-8055	Excel Kit 4 off 6" U-Bolts x M8 C/W Nuts and Washers 316SS. For Use with Standard Mounting Plate	£ 157.00	UC
90083-A-8034	8 x 2" Ubolts x M6 C/W Nuts and Washers 316SST(order minimum 4 for an Excel Kit(Tx and Rx)	£ 49.00	UC
90082-A-5020	Excel SR snow cover	£ 393.00	UC
90082-A-5024	Excel MR / LR snow cover	£ 351.00	UC

24. XNX Accessories and Spares



24a. XNX Accessories

Refer to individual sensor type price list for other accessories.

XNX Accessories

Part Number	Description	GBP	PG
1226A0358	Pipe Mount Kit	£ 109.00	UC
1226A0411	Calibration Gas Flow Adapter (with MPD)	£ 37.00	UC
94000-A-1006	XNX 2" pipe mounted sunshade with U-bolt in 316SST painted white for use with Optima Plus / MPD / Sensepoint PPM, EC Toxic & Oxygen detectors	£ 100.00	UC
S3KRMK	Remote mounting kit for Series 3000 and XNX EC toxic sensors including sensor connection unit fitted with 15m cable and connection plug for transmitter	£ 369.00	UC
S3KRMK45	Remote mounting kit for Series 3000 and XNX EC toxic sensors including sensor connection unit fitted with 45m cable and connection plug for transmitter (ATEX/UL/cUL approved)	£ 720.00	UC
1226A0355	Ceiling Mount Bracket Kit	£ 37.00	UC
S3KDMK	Duct mounting kit for Series 3000 and XNX EC toxic sensors	£ 132.00	UC
1226A0382	MPD Interface Adaptor (for use with S3KDMK Duct Mount Kit)	£ 85.00	UC
S3KCAL	Calibration cup (flow adapter) for Series 3000 and XNX EC toxic sensors	£ 51.00	UC
02000-A-1645	Flow Housing Assembly (for Sensepoint, Signalpoint, Satellite (with adapter), XNX MPD and Series 2000)	£ 51.00	UC
00780-A-0035	Flow Housing (full stainless steel, for high temp applications)	£ 165.00	UC
S3KWP	Weatherproof housing with bump test port for use with Series 3000 and XNX EC toxic sensors	£ 26.00	UC
02000-A-1640	Weatherproof cap for use with combustible detector including remote gassing nozzle (for Sensepoint, Signalpoint, Satellite (with adapter), XNX MPD and Series 2000)	£ 62.00	UC
02000-A-1635	Weatherproof cap for use with toxic detector including remote gassing nozzle (for Sensepoint, Signalpoint, Satellite (with adapter), XNX MPD and Series 2000)	£ 53.00	UC
SPXCDCC	Collecting cone for use with lighter than air gases	£ 49.00	UC
02000-A-1642	Collecting cone for use with flammable detector (for Sensepoint, Signalpoint, Satellite (with adapter), XNX MPD and Series 2000)	£ 54.00	UC
2441-0022	UL/CSA Aluminium Junction Box Assembly (for remote mount of MPD sensors)	£ 100.00	UC
00780-A-0100	Honeywell Junction Box- Bartec OTB122 With Continuity Plate 1 X 25mm - 3 X 20mm Entries - ATEX Approved	£ 73.00	UC
1226A0354	Remote Gassing Kit	£ 113.00	UC
90068-A-8204	Gassing Block 316SST. 6mm O/D Connector to Sensor and 6mm Tube Connector to Gas Bottle	£ 121.00	UC
90068-C-8290	PTFE Tubing 6mm O/D x 4mm I/D. Price per Meter	£ 14.00	UC
90068-C-8291	PTFE Tubing 8mm O/D x 6mm I/D. Price per Meter	£ 24.00	UC
90068-C-8292	Soft PVC Tubing 8mm O/D x 5mm I/D. Price per Meter	£ 4.00	UC
2108B0270	Searchpoint Optima Plus with Storm Baffle to XNX Fitting Kit (ATEX)	£ 93.00	UC
RDU300504	Reducer, ATEX, Ex d e, 316SS, M25 (male) to M20 (female)	£ 32.00	UC
RDU303029	Reducer, ATEX, Ex d e, 316SS, 3/4"NPT (male) to 1/2"NPT (female)	£ 32.00	UC
RDU303004	Reducer, ATEX, Ex d e, 316SS, 3/4"NPT (male) to M20 (female)	£ 32.00	UC
ADU300530	Adaptor, ATEX, Ex d e, 316SS, M25 (male) to 3/4"NPT (female)	£ 32.00	UC
RDU300529	Reducer, ATEX, Ex d e, 316SS, M25 (male) to 1/2"NPT (female)	£ 32.00	UC
PDU300400	ATEX & CSAUS Marked, Ex d e, 316SS, IP66, M20 Blanking Plug	£ 19.00	UC
PDU303000	ATEX & CSAUS Marked, Ex d e, 316SS, IP66, 3/4" NPT Blanking Plug	£ 19.00	UC
X4S-2006662	Field Device Tag Label (Based on Drawing Number 90084-C-7013). Material: 316 Stainless Steel (Supplied loose & to be assigned at site) Dimensions: 80x20x1.2mm (LxHxD) Text Height & Length: 1 row of 5mm engraved text (Max. Characters of 15 off). Note: Upon purchase order placement. please state the text per each tag required	£ 17.00	UC

24. XNX Accessories and Spares



Pipe Mount Kit 1226A0358	Remote Mounting Kit S3KRMK	Ceiling Mount Bracket Kit 1226A0355	Duct Mounting Kit S3KDMK
MPD Interface Adaptor 1226A0382	Calibration Cup S3KCAL	Flow Housing Assembly 02000-A-1645	Weatherproof Housing with bump test port S3KWP
Weatherproof cap 02000-A-1640	Weatherproof cap 02000-A-1635	Collecting Cone SPXCDC	Collecting Cone 02000-A-1642
UL/CSA Aluminium Junction Box Assembly 2441-0022	Honeywell Junction Box 00780-A-0100	Remote Gassing Kit 1226A0354	Gassing Block 316SST 90068-A-8204
PTFE Tubing 8mm O/D x 6mm I/D 90068-C-8291	Soft PVC Tubing 8mm O/D x 5mm I/D 90068-C-8292		

24. XNX Accessories and Spares



24b. XNX Spare Parts

Legend	Part	Description	Part Number	GBP	PG
1	XNX Service Kit	Replacement O-ring for XNX front cover	SPXNXSERVK	£ 98.00	UC
2		I.S. modules screws (2 pieces)			
3		Earth screw and bracket (3 pieces)			
4		O-ring for MPD housing			
5		MPD Sinter O-ring			
6		MPD Sinter locking screw (set screw)			
7		ECC sensor - 3 off O-rings			
8		ECC Sensor Lid O-ring			
9		ECC sensor lid - locking screw (set screw)			
10	ECC filters/ptfe membrain - bag of 10 (Note: some sensors use these)		3000B1289	£ 37.00	UC
11	XNS Tool Kit	Magnetic Wand/Screwdriver	SPXNXTOOLK	£ 20.00	UC
12		Small Screwdriver (for use with Relay board and IR personality board)			
13		HEX L-KEY 2.0MM			
14		HEX-L-KEY 1.5MM X 3.06"L			
15	PODs	XNX Transmitter Spare Pod, Infrared Personality, No Options	1226-9001	£ 563.00	UC
		XNX Transmitter Spare Pod, Infrared Personality, Relay Option	1226-9002	£ 638.00	UC
		XNX Transmitter Spare Pod, Infrared Personality, Modbus Options	1226-9003	£ 677.00	UC
		XNX Transmitter Spare Pod, Infrared Personality, Foundation Fieldbus Options	1226-9004	£ 707.00	UC
		XNX Transmitter Spare Pod, Millivolt Personality, No Options	1226-9009	£ 331.00	UC
		XNX Transmitter Spare Pod, Millivolt Personality, Relay Option	1226-9010	£ 401.00	UC
		XNX Transmitter Spare Pod, Millivolt Personality, Modbus Option	1226-9011	£ 439.00	UC
		XNX Transmitter Spare Pod, Millivolt Personality, Foundation Fieldbus Options	1226-9012	£ 469.00	UC
		XNX Transmitter Spare Pod, Electrochemical Personality, No Options	1226-9005	£ 677.00	UC
		XNX Transmitter Spare Pod, Electrochemical Personality, Relay Option	1226-9006	£ 763.00	UC
		XNX Transmitter Spare Pod, Electrochemical Personality, Modbus Option	1226-9007	£ 802.00	UC
16	Options	XNX Transmitter Spare Pod, Electrochemical Personality, Foundation Fieldbus Options	1226-9008	£ 833.00	UC
		Relay Option	XNX-RLY	£ 127.00	UC
		Modbus Option	XNX-MB	£ 127.00	UC
17	Terminals	Foundation Fieldbus Option	XNX-FFB	£ 157.00	UC
		Terminal Block Assembly 6-Pin for XNX EC	1226A0302	£ 20.00	UC
		Terminal Block Assembly 9-Pin for XNX mV	1226A0304	£ 26.00	UC
		IR Terminal Block Assembly Kit includes: 9-Pin & 2 Pin blocks	1226A0305	£ 28.00	UC
		Relay Terminal Block Assembly Kit includes: 9-Pin and 2-Pin blocks	1226A0306	£ 26.00	UC
18	Stopping Plug	Terminal Block Assembly 10-Pin for XNX Modbus	1226A0307	£ 32.00	UC
		3/4" NPT Stopping Plug w/ protective cap and O-ring	1226-0258	£ 6.00	UC
		M25 Stopping Plug w/ protective cap and O-ring	1226-0257	£ 6.00	UC
19	Replacement Sensors /Cartridges	For replacement cartridges - Please see the XNX instrument part of the price list			
		For replacement MPD - Please see the XNX instrument part of the price list			
		For replacement ECC Sensor - Please see the XNX instrument part of the price list			

24. XNX Accessories and Spares

