

Magtech™ 9935 Chamber Quick Data Sheet

★ Default ☐ Select only one of the items provide ☐ One or more of the listed items can be selected

General information	
Company: _____	Phone No.: _____ Date: _____
Contact name: _____	RFQ No.: _____
Email: _____	Tag: _____

Process conditions	
Pressure	Min: _____ Oper: _____ Max: _____ Units of measurement: _____
Temperature	Min: _____ Oper: _____ Max: _____ Units of measurement: _____
Description of media _____	
Is the chamber for interface measurement?	☐ Yes ☐ No
Is this a saturated steam application?	☐ Yes ☐ No



Note
Consider three or more process connections for interface applications.


Customer-specific design criteria
Are there any existing specifications, including minimum pipe schedule, general piping specifications, or an approved manufacturer list (AML/AVL) to which these chambers must comply? ☐ Yes (please provide) ☐ No

Material of construction	Process connection type	Connection bore
☐ Carbon steel A106B SMLS A105	☐ RFSO ☐ RTJWN ☐ Socket weld fitting	☐ Full bore
☐ Stainless steel 316/316L	☐ RFWN ☐ NPTM ☐ Plain end nipple fitting	☐ 1/2-in.
☐ Other: _____	☐ RFSW ☐ NPTF ☐ Other: _____	

Process rating	Process connection size
☐ Class 150 ☐ Class 300 ☐ Class 600	☐ 1/2-in. ☐ 3/4-in. ☐ 1-in.
☐ Class 900 ☐ Class 1500 ☐ Other: _____	☐ 1 1/2-in. ☐ 2-in. ☐ Other: _____

Mounting style	Flanged instrument connection
	☐ 2-in. ☐ 3-in. ☐ 4-in. ☐ Raised face (RF) ☐ Ring joint (RTJ) ☐ Class 150 ☐ Class 300 ☐ Class 600 ☐ Class 900 ☐ Class 1500 ☐ Class 2500 ☐ Other: _____

Vent		☐ Vent valve (optional)	Vent (top view)
	Type ☐ NPT ☐ Flange ☐ SW ☐ Other: _____ Size ☐ 1/2-in. ☐ 3/4-in. ☐ 1-in.	Type ☐ Ball ☐ Gate ☐ Other: _____ Material ☐ Carbon steel ☐ Stainless steel Valve notes: _____	

Drain	☐ Drain valve (optional)	Test and inspections
	Type ☐ NPT ☐ Flange ☐ SW ☐ Other: _____ Size ☐ 1/2-in. ☐ 3/4-in. ☐ 1-in. Material ☐ Carbon steel ☐ Stainless steel Valve notes: _____	☐ Hydrostatic test ☐ PMI ☐ X-Ray ☐ Magparticle/Dye pen ☐ NACE® MR0103 ☐ NACE MR0175

Documentation	
☐ Material Traceability Report (MTR) ☐ Drawings ☐ Approval ☐ As-built	☐ Country of origin ☐ Certificate of conformance ☐ CRN: Specify province: _____

Other special request (describe or provide sketch)

Emerson Automation Solutions

6021 Innovation Blvd.

Shakopee, MN 55379, USA

 +1 800 999 9307 or +1 952 906 8888 +1 952 949 7001 RFQ.RMD-RCC@Emerson.com**North America Regional Office****Emerson Automation Solutions**

8200 Market Blvd.

Chanhassen, MN 55317, USA

 +1 800 999 9307 or +1 952 906 8888 +1 952 949 7001 RMT-NA.RCCRFQ@Emerson.com**Latin America Regional Office****Emerson Automation Solutions**

1300 Concord Terrace, Suite 400

Sunrise, FL 33323, USA

 +1 954 846 5030 +1 954 846 5121 RFQ.RMD-RCC@Emerson.com**Europe Regional Office****Emerson Automation Solutions**

Neuhofstrasse 19a P.O. Box 1046

CH 6340 Baar

Switzerland

 +41 (0) 41 768 6111 +41 (0) 41 768 6300 RFQ.RMD-RCC@Emerson.com**Asia Pacific Regional Office****Emerson Automation Solutions**

1 Pandan Crescent

Singapore 128461

 +65 6777 8211 +65 6777 0947 Enquiries@AP.Emerson.com**Middle East and Africa Regional Office****Emerson Automation Solutions**

Emerson FZE P.O. Box 17033

Jebel Ali Free Zone - South 2

Dubai, United Arab Emirates

 +971 4 8118100 +971 4 8865465 RFQ.RMTMEA@Emerson.com[Linkedin.com/company/Emerson-Automation-Solutions](https://www.linkedin.com/company/Emerson-Automation-Solutions)[Twitter.com/Rosemount_News](https://twitter.com/Rosemount_News)[Facebook.com/Rosemount](https://www.facebook.com/Rosemount)[Youtube.com/user/RosemountMeasurement](https://www.youtube.com/user/RosemountMeasurement)

Emerson Terms and Conditions of Sale are available upon request.
The Emerson logo is a trademark and service mark of Emerson Electric Co.
Rosemount is a mark of one of the Emerson family of companies.
All other marks are the property of their respective owners.
© 2020 Emerson. All rights reserved.

